Index of Papers Published in 1973 Journals

Author Index

A

Aagaard, P. M. and Besse, C. P.: *A Review of the Offshore Environment—25 Years of Progress*, (Tech. Paper) JPT Dec., 1355

Abrams, A. *et al.*: *Field Test of an Aqueous Surfactant System for Oil Recovery, Benton Field, Illinois*, JPT Feb., 195

Acaster, S. M.: *Concerning Wire Ropes for Anchoring Semisubmersibles*, (Tech. Paper) JPT June, 659

Adelman, M. A.: *The Impact of the Tehran-Tripoli Agreements on U. S. Oil Policy and Prices*, (Tech. Paper) JPT Nov., 1255

Alpay, O. A.: *Application of Aerial Photographic Interpretation to the Study of Reservoir Natural Fracture Systems*, (Tech. Paper) JPT Jan., 37

Anand, J. *et al.*: *Predicting Thermal Conductivities of Formations From Other Known Properties*, (Tech. Paper) SPEJ Oct., 267

Anderson, R. A. *et al.*: *Determining Fracture Pressure Gradients From Well Logs*, (Tech. Paper) JPT Nov., 1259

Anderson, T. O. *et al.*: *Delineating a Subsurface Fracture System in a Petroleum Reservoir — An Experiment*, (Tech. Paper) JPT May, 531

Archer, J. S. and Wong, S. W.: *Use of a Reservoir Simulator To Interpret Laboratory Waterflood Data*, (Tech. Paper) SPEJ Dec., 343

Atkinson, C. H. *et al.*: *Evaluation of Low-Permeability Gas-Bearing Formations in Rio Blanco County, Colorado*, (Tech. Paper) JPT Oct., 1125

B

Baer, P. J. and Knight, R. K.: *A Field Test of Soluble-Oil Flooding at Higgs Unit*, (Tech. Paper) JPT Jan., 9

Baker, P. E.: *Effect of Pressure and Rate of Steam Zone Development in Steamflooding*, SPEJ Oct., 274

Barton, W. C., Jr., *et al.*: *Coalinga Nose Pressure Maintenance Project*, (Tech. Paper) JPT Oct., 1147

Batra, V. K. and Dullien, F. A. L.: *Correlation Between Pore Structure of Sandstones and Tertiary Oil Recovery*, (Forum) SPEJ Oct., 256

Beggs, H. D. and Brill, J. P.: *A Study of Two-Phase Flow in Inclined Pipes*, JPT May, 607

Beirute, R. and Tragesser, A.: *Expansive and Shrinkage Characteristics of Cements Under Actual Well Conditions*, (Tech. Paper) JPT Aug., 905

Berry, P. M. *et al.*: *Temperature Distribution in Circulating Mud Columns*, (Tech. Paper) SPEJ Feb., 23

Bertuzzi, A. F. *et al.*: *Recovery of Oil by Steam Injection in the Smackover Field, Arkansas*, (Tech. Paper) JPT Aug., 883

Besse, C. P. and Aagaard, P. M.: *A Review of the Offshore Environment — 25 Years of Progress*, (Tech. Paper) JPT Dec., 1355

Besset, P. *et al.*: *A Numerical Model of Multiphase Flow Around a Well*, (Tech. Paper) SPEJ Dec., 311

Bills, R. V. and Warren, H. G.: *Interfacial Tension of Normal Heptane*, (Forum) JPT May, 543

Blake, A. and Zaslawsky, M.: *Friction and Bearing Loads on Buried Pipes*, (Tech. Paper) SPEJ June, 163

Blenkarn, K. A.: *Coping With Nature Offshore — An SPE-AIME Distinguished Lecture*, (Tech. Paper) JPT Mar., 257

Boardman, C. R. *et al.*: *Evaluation of Low-Permeability Gas-Bearing Formations in Rio Blanco County, Colorado*, (Tech. Paper) JPT Oct., 1125

Boberg, T. C. *et al.*: *Calculating the Steam-Stimulated Performance of Gas-Lifted and Flowing Heavy-Oil Wells*, JPT Oct., 1207

Bower, F. M. *et al.*: *The Structure and Interpretation of Noise From Flow Behind Cemented Casing*, JPT Mar., 329

Bowman, R. W. and Hall, A. L.: *Operation and Performance of the Slocum Thermal Recovery Project*, (Tech. Paper) JPT Apr., 402

Braun, P. H. *et al.*: *Reservoir Waterflood Residual Oil Saturation From Laboratory Tests*, JPT Feb., 175

Brill, J. P. and Beggs, H. D.: *A Study of Two-Phase Flow in Inclined Pipes*, JPT May, 607

Brons, F. and Silbergh, M.: *Profitability Analysis of Leveraged Transactions*, (Tech. Paper) JPT Mar., 319

Buchwald, R. W., Jr., *et al.*: *Case Histories of Three In-Situ Combustion Projects*, (Tech. Paper) JPT July, 784

Burcik, E. J. and Slobod, R. L.: *Discussion on Microscopic Observations of Polyacrylamide Structures*, (Forum) JPT May, 544

Burger, J. G. and Sahuquet, B. C.: *Laboratory Research on Wet Combustion*, (Tech. Paper) JPT Oct., 1137

Bush, R. E. and Wilson, G. J.: *Pressure Prediction With Flowline Temperature Gradients*, (Tech. Paper) JPT Feb., 135

C

Campbell, P. J. D.: *Platforms in the Southern North Sea*, (Forum) JPT Sept., 1046

Carter, L. G. and Clark, C. R.: *Mud Displacement With Cement Slurries*, (Tech. Paper) JPT July, 775

Case, C. H. *et al.*: *Coalinga Nose Pressure Maintenance Project*, (Tech. Paper) JPT Oct., 1147

Catoe, C. E.: *Remote Sensing Techniques for Detecting Oil Slicks*, (Tech. Paper) JPT Mar., 267

Chase, C. A. and O'Dell, P. M.: *Application of Variational Principles to Cap and Base Rock Heat Losses*, SPEJ Aug., 200

Chaudhari, N. M.: *A Numerical Solution With Second-Order Accuracy for Multicomponent Compressible Stable Miscible Flow*, (Tech. Paper) SPEJ Apr., 84

Chenevert, M. E. and O'Brien, D. E.: *Stabilizing Sensitive Shales With Inhibited, Potassium-Based Drilling Fluids*, JPT Sept., 1089

Christman, S. A.: *Offshore Fracture Gradients*, (Tech. Paper) JPT Aug., 910

Clampitt, R. L. *et al.*: *Recovery of Oil by Steam Injection in the Smackover Field, Arkansas*, (Tech. Paper) JPT Aug., 883

Claridge, E. L.: *A Trapping Hele-Shaw Model for Miscible-Immiscible Flooding Studies*, (Forum) SPEJ Oct., 255

Clark, C. R. and Carter, L. G.: *Mud Displacement With Cement Slurries*, (Tech. Paper) JPT July, 775

Cobb, W. M. and Dowdle, W. L.: *A Simple Method for Determining Well Pressure in Closed Rectangular Reservoirs*, (Forum) JPT Nov., 1305

Cooke, C. E., Jr.: *Conductivity of Fracture Proppants in Multiple Layers*, JPT Sept., 1101

Coppel, C. P. *et al.*: *Field Results From Wells Treated With Hydroxy-Aluminum*, (Tech. Paper) JPT Sept., 1108

Couch, E. J. *et al.*: *Temperature Distribution in Circulating Mud Columns*, (Tech. Paper) SPEJ Feb., 23

Cram, P. J. *et al.*: *Displacement Studies in Dolomite With Wettability Control by Octanoic Acid*, SPEJ Aug., 221

Crichlow, H. B. and Root, P. J.: *The Use of an r-z Model To Study the Effect of Completion Technique on Gas Well Deliverability*, (Tech. Paper) SPEJ Oct., 259

Cromling, J.: *Geothermal Drilling in California*, (Tech. Paper) JPT Sept., 1033

Cronquist, C.: *Dimensionless PVT Behavior of Gulf Coast Reservoir Oils*, (Tech. Paper) JPT May, 538

D

Dalton, R. L., Jr., *et al.*: *Single-Well Tracer Method To Measure Residual Oil Saturation*, JPT Feb., 211

Daneshy, A. A.: *A Study of Inclined Hydraulic Fractures*, (Tech. Paper) SPEJ Apr., 61

Experimental Investigation of Hydraulic Fracturing Through Perforations, JPT Oct., 1201

On the Design of Vertical Hydraulic Fractures, JPT Jan., 83; discussion, 93

Daniels, J. T.: *Oil Spill Contingency Planning in the North Sea*, (Forum) JPT Oct., 1153

Deans, H. A. *et al.*: *Single-Well Tracer Method To Measure Residual Oil Saturation*, JPT Feb., 211

Dicharry, R. M. *et al.*: *Evaluations and Design of a CO_2 Miscible Flood Project — SACROC Unit, Kelly-Snyder Field*, JPT Nov., 1309

Dietz, D. N.: *Behaviour of Components From Spilled Oil on Their Way Through the Soil*, (Forum) JPT Sept., 1045
Dixon, D. A. and Knapp, A. E.: *The Use of X-Bracing in Fixed Offshore Platforms*, (Tech. Paper) SPEJ Apr., 75
Dowdle, W. L. and Cobb, W. M.: *A Simple Method for Determining Well Pressure in Closed Rectangular Reservoirs*, (Forum) JPT Nov., 1305
Dranchuk, P. M. and Piplapure, A. R.: *Inertial and Slip Effects in Steady-State Radial Gas Flow Through Porous Media*, (Forum) JPT Oct., 1155
Dranchuk, P. M. *et al.*: *Retrograde Condensation in Porous Media*, SPEJ Apr., 93
Driscoll, V. J. and Thomas, J. E.: *A Modeling Approach for Optimizing Waterflood Performance, Slaughter Field Chickenwire Pattern*, (Tech Paper) JPT July, 757
Dullien, F. A. L. and Batra, V. K.: *Correlation Between Pore Structure of Sandstones and Tertiary Oil Recovery*, (Forum) SPEJ Oct., 256
Dumoré, J. M.: *Material Balance for a Bottom-Water-Drive Gas Reservoir*, (Tech. Paper) SPEJ Dec., 328
Dumoré, J. M. and Marsal, D.: *The Use of Integral Equations in the Numerical Solution of Complex Reservoir Engineering Problems*, (Tech. Paper) SPEJ Dec., 321
Dunham, C. L.: *Bridging the Information Gap Between Operations and Engineering*, (Tech. Paper) JPT Apr., 411

E

Earlougher, R. C., Jr., *et al.*: *Wellbore Effects in Injection Two-Rate Flow Tests*, (Forum) JPT May, 545
Earlougher, R. C., Jr. *et al.*: *Wellbore Effects in Injection Well Testing* (Tech. Paper) JPT Nov., 1244
Eilerts, C. K. and Sumner, E. F.: *Computing the Movement of Injected Raw Helium in Bush Dome Reservoir*, (Tech. Paper) JPT Jan., 16
Elkins, L. E.: *Overview: 25 Years of Professional Contribution to Petroleum Development and Production*, (Tech. Paper) JPT Dec., 1337
Elkins, L. F.: *Discussion on The Effect of Nuclear Stimulation on Formation Permeability and Gas Recovery at Project Gasbuggy*, (Tech. Paper) JPT May, 548
Elkins, L. F. and Poppe, R. E.: *Determination of Residual Oil Saturation Behind a Waterflood— A Case History* (Tech. Paper) JPT Nov., 1237
Ellis, M. M. and Fischer, P. W.: *Clarifying Oilfield and Refinery Waste Waters by Gas Flotation*, (Tech. Paper) JPT Apr., 426
Ely, J. and Holditch, S. A.: *Successful Stimulation of Deep Wells Using High Proppant Concentrations*, (Tech. Paper) JPT Aug., 959

F

Felsenthal, M.: *How To Diagnose a Thief Zone*, (Forum) JPT July, 839
Ferrer-G., J. and Larreal B, J.: *Microscopic Observations of Polyacrylamide Structures*, (Forum) JPT Jan., 80
Fertl, W. H. *et al.*: *Evaluation of Low-Permeability Gas-Bearing Formations in Rio Blanco County, Colorado*, (Tech. Paper) JPT Oct., 1125
Fischer, P. W. and Ellis, M. M.: *Clarifying Oilfield and Refinery Waste Waters by Gas Flotation*, (Tech. Paper) JPT Apr., 426
Foster, W. R.: *A Low-Tension Waterflooding Process*, JPT Feb., 205
French, M. S. *et al.*: *Field Test of an Aqueous Surfactant System for Oil Recovery, Benton Field, Illinois*, JPT Feb., 195
Froning, H R. and Paul, G. W.: *Salinity Effects of Micellar Flooding*, (Forum) JPT Aug., 957
Fussell, D. D.: *Single-Well Performance Predictions for Gas Condensate Reservoirs* JPT July, 860
Fussell, D. D. *et al.*: *A Multicell Equilibrium Separation Model for the Study of Multiple Contact Miscibility in Rich-Gas Drive*, SPEJ June, 147

G

Gale, W. W. and Sandvik, E. I.: *Tertiary Surfactant Flooding: Petroleum Sulfonate Composition-Efficacy Studies*, (Tech. Paper) SPEJ Aug., 191
Garcia, E. C.: *The Detuning Tank — An Effective Stabilizing Device*, (Tech. Paper) SPEJ Feb., 48
Gavalas, G. R. and Seinfeld, J. H.: *Reservoirs With Spatially Varying Properties: Estimation of Volume From Late Transient Pressure Data*, (Tech. Paper) SPEJ Dec., 335
Geertsma, J.: *Land Subsidence Above Compacting Oil and Gas Reservoirs*, JPT June, 734
Gibbs, S. G. and Nolen, K. B.: *Wellsite Diagnosis of Pumping Problems Using Minicomputers*, (Tech. Paper) JPT Nov., 1319
Glenn, W. E.: *Management and Economics in the Oil Industry — A Review*, (Tech. Paper) JPT Dec., 1342
Goddard, J. E. *et al.*: *Use of Polymers To Control Water Production in Oil Wells*, (Tech. Paper) JPT Feb., 143
Goldman, J. L.: *The Significance of Time-Dependent Transports in Storm-Generated Coastal Currents*, (Tech. Paper) SPEJ June, 156
Gomaa, E. *et al.*: *Predicting Thermal Conductivities of Formations From Other Known Properties*, (Tech. Paper) SPEJ Oct., 267
Goren, Y. and McMillan, B.: *A Vessel for Offshore Construction in Heavy Seas*, (Tech. Paper) JPT Apr., 387
Graham, H. L. *et al.*: *A Staged Fracturing Treatment for Multisand Intervals*, (Tech. Paper) JPT Aug., 897
Gray, G. R. and Young, F. S., Jr.: *25 Years of Drilling Technology — A Review of Significant Accomplishments*, (Tech. Paper) JPT Dec., 1347
Gray, J. W. *et al.*: *Optimization of Gas Field Operations*, (Tech. Paper) JPT Apr., 419
Greer, J. B.: *Effects of Metal Thickness and Temperature on Casing and Tubing Design for Deep, Sour Wells*, JPT Apr., 499
Gringarten, A. C. and Ramey, H. J., Jr.: *The Use of Source and Green's Functions in Solving Unsteady-Flow Problems in Reservoirs*, SPEJ Oct., 285

H

Hagedorn, A. R. *et al.*: *Calculating the Steam-Stimulated Performance of Gas-Lifted and Flowing Heavy-Oil Wells*, JPT Oct., 1207
Hall, A. L. and Bowman, R. W.: *Operation and Performance of the Slocum Thermal Recovery Project*, (Tech. Paper) JPT Apr., 402
Hammack, G. W. *et al.*: *Evaluation of Low-Permeability Gas-Bearing Formations in Rio Blanco County, Colorado*, (Tech. Paper) JPT Oct., 1125
Hardy, W. C. *et al.*: *Case Histories of Three In-Situ Combustion Projects*, (Tech. Paper) JPT July, 784
Healy, R. N. *et al.*: *A Field Test of Surfactant Flooding, Loudon, Illinois*, (Tech. Paper) JPT July, 793
Heilhecker, J. K. *et al.*: *High-Pressure Drilling*, JPT July, 851
Hill, H. J. *et al.*: *Aqueous Surfactant Systems for Oil Recovery*, JPT Feb., 186
Field Test of an Aqueous Surfactant System, for Oil Recovery, Benton Field, Illinois, JPT Feb., 195
Hinkle, B. B. and Vadgama, U. N.: *Crossflooding to Improve Waterflood Efficiency in Big Sinking Field, Kentucky*, (Tech. Paper) JPT Sept., 1021
Holditch, S. A. and Ely, J.: *Successful Stimulation of Deep Wells Using High Proppant Concentrations*, (Tech. Paper) JPT Aug., 959
Holm, L. W.: *Comments on Finding the Most Profitable Slug Size*, (Forum) JPT Jan., 77; discussion, 78
Holt, O. R. and Schoonover, L. G.: *Computer Methods of Diplog Correlation*, (Tech. Paper) SPEJ Feb., 31
Hsu, F. H. and Nolte, K. G.: *Statistics of Ocean Wave Groups*, SPEJ June, 139
Hurford, G. T. and Lackland, S. D.: *Advanced Technology Improves Recovery at Fairway*, (Tech. Paper) JPT Mar., 354
Hurst, W.: *The Solution of Nonlinear Equations*, SPEJ Dec. 348

I

Ingram, D. S. *et al.*: *Determining Fracture Pressure Gradients From Well Logs*, (Tech. Paper) JPT Nov., 1259

J

Jacks, H. H. *et al.*: *The Modeling of a Three-Dimensional Reservoir With a Two-Dimensional Reservoir Simulator — The Use of Dynamic Pseudo Functions*, (Tech. Paper) SPEJ June, 175

Jackson, R. F. *et al.*: *Reservoir Evaluation and Deliverability Study, Bierwang Field, West Germany*, (Tech. Paper) JPT Jan., 23
Jahns, H. O. and Wheeler, J. D.: *Long-Term Wave Probabilities Based on Hindcasting of Severe Storms*, JPT Apr., 473
Janot, P.: *Determining the Elementary Matrix Block in a Fissured Reservoir — Eschau Field, France*, (Tech. Paper) JPT May, 523
Jennings, H. Y., Jr., and Timur, A.: *Significant Contributions in Formation Evaluation and Well Testing*, (Tech. Paper) JPT Dec., 1432
Jennings, H. Y., Jr., *et al.*: *Field Results From Wells Treated With Hydroxy-Aluminum*, (Tech. Paper) JPT Sept., 1108
Jones, S. C.: *Discussion on Comments on Finding the Most Profitable Slug Size*, (Forum) JPT Jan., 78
Jorden, J. R. *et al.*: *Methods for Determining Residual Oil With Pulsed Neutron Capture Logs*, JPT May, 593

K

Keller, H. H. *et al.*: *Temperature Distribution in Circulating Mud Columns*, (Tech. Paper) SPEJ Feb., 23
Kersch, K. M. *et al.*: *Wellbore Effects in Injection Well Testing*, (Tech. Paper) JPT Nov., 1244
Keys, G. W. *et al.*: *Field Test of an Aqueous Surfactant System for Oil Recovery, Benton Field, Illinois*, JPT Feb., 195
Kidd, A. N. *et al.*: *Support Programs for a Large-Scale Computer Production Control Program*, (Tech. Paper) JPT Jan., 31
Knapp, A. E. and Dixon, D. A.: *The Use of X-Bracing in Fixed Offshore Platforms*, (Tech. Paper) SPEJ Apr., 75
Knight, B. L.: *Reservoir Stability of Polymer Solutions*, JPT May, 618
Knight, R. K. and Baer, P. J.: *A Field Test of Soluble-Oil Flooding at Higgs Unit*, (Tech. Paper) JPT Jan., 9
Komar, C. A. *et al.*: *Delineating a Subsurface Fracture System in a Petroleum Reservoir — An Experiment*, (Tech. Paper) JPT May, 531
Krawczyk, D. F. and Malueg, N. J.: *Tracing Oil as a Pollutant in Water*, (Tech. Paper) JPT Mar., 243
Krueger, R. F.: *Advances in Well Completions and Stimulation During JPT's First Quarter Century*, (Tech. Paper) JPT Dec., 1447

L

Lackland, S. D. and Hurford, G. T.: *Advanced Technology Improves Recovery at Fairway*, (Tech. Paper) JPT Mar., 354
Larreal B, J. and Ferrer-G., J.: *Microscopic Observations of Polyacrylamide Structures*, (Forum) JPT Jan., 80
Lefebvre du Prey, E. J.: *Factors Affecting Liquid-Liquid Relative Permeabilities of a Consolidated Porous Medium*, (Tech. Paper) SPEJ Feb., 39
Leibach, R. E. *et al.*: *A Staged Fracturing Treatment for Multisand Intervals*, (Tech. Paper) JPT Aug., 897
Love, W. W. *et al.*: *High-Pressure Drilling*, JPT July, 851

M

Maerker, J. M.: *Dependence of Polymer Retention on Flow Rate*, (Forum) JPT Nov., 1307
Malueg, N. J. and Krawczyk, D. F.: *Tracing Oil as a Pollutant in Water*, (Tech. Paper) JPT Mar., 243
Marsal, D. and Dumoré, J. M.: *The Use of Integral Equations in the Numerical Solution of Complex Reservoir-Engineering Problems*, (Tech. Paper) SPEJ Dec., 321
Martin, J. C. *et al.*: *Failure of Stream Tube Methods To Predict Waterflood Performance of an Isolated Inverted Five-Spot at Favorable Mobility Ratios*, (Forum) JPT Feb., 151
Marudiak, O. P. *et al.*: *Reservoir Evaluation and Deliverability Study, Bierwang Field, West Germany*, (Tech. Paper) JPT Jan., 23
Mattax, C. C. *et al.*: *The Modeling of a Three-Dimensional Reservoir With a Two-Dimensional Reservoir Simulator — The Use of Dynamic Pseudo Functions*, (Tech. Paper) SPEJ June, 175
Matthes, G. *et al.*: *Reservoir Evaluation and Deliverability Study, Bierwang Field, West Germany*, (Tech. Paper) JPT Jan., 23
Maurer, W. C. *et al.*: *High-Pressure Drilling*, JPT July, 851
McAuliffe, C. D.: *Crude-Oil-in-Water Emulsions To Improve Fluid Flow in an Oil Reservoir*, (Tech. Paper) JPT June, 721
Oil-in-Water Emulsions and Their Flow Properties in Porous Media, (Tech. Paper) JPT June, 727
McCaffery, F. G. *et al.*: *Displacement Studies in Dolomite With Wettability Control by Octanoic Acid*, SPEJ Aug., 221
McIntosh, J. A. *et al.*: *Development of a Sea-Ice Penetrometer*, (Tech. Paper) JPT Mar., 249
McKinley, R. M. *et al.*: *The Structure and Interpretation of Noise From Flow Behind Cemented Casing*, JPT Mar., 329
McMichael, C. L. and Thomas, G. W.: *Reservoir Simulation by Galerkin's Method*, (Tech. Paper) SPEJ June, 125
McMillan, B. and Goren, Y.: *A Vessel for Offshore Construction in Heavy Seas*, (Tech. Paper) JPT Apr., 387
Metcalfe, R. S. *et al.*: *A Multicell Equilibrium Separation Model for the Study of Multiple Contact Miscibility in Rich-Gas Drives*, SPEJ June, 147
Michie, T. W., Jr., *et al.*: *Support Programs for a Large-Scale Computer Production Control Project*, (Tech. Paper) JPT Jan., 31
Miller, W. C. and Prats, M.: *The Role of Technical Publications in the Advancement of Fluid Injection Processes for Oil Recovery*, (Tech. Paper) JPT Dec., 1361
Mitchell, F. R. *et al.*: *Methods for Determining Residual Oil With Pulsed Neutron Capture Logs*, JPT May, 593
Morris, E. E. and Shelton, J. L.: *Cyclic Injection of Rich Gas Into Producing Wells To Increase Rates From Viscous-Oil Reservoirs*, (Tech. Paper) JPT Aug., 890
Morrow, N. R. *et al.*: *Displacement Studies in Dolomite With Wettability Control by Octanoic Acid*, SPEJ Aug., 221
Retrograde Condensation in Porous Media, SPEJ Apr., 93
Murase, Y. *et al.*: *A Study of Suction and Scouring of Bottom-Sitting Offshore Structures*, (Tech. Paper) JPT Mar., 279
Murphy, R. P. and Owens, W. W.: *The Use of Special Coring and Logging Procedures for Defining Reservoir Residual Oil Saturations*, JPT July, 841

N

Nader, W. K. and Neale, G. H.: *The Permeability of a Uniformly Vuggy Porous Medium*, (Tech. Paper) SPEJ Apr., 69
Neale, G. H. and Nader, W. K.: *The Permeability of a Uniformly Vuggy Porous Medium*, (Tech. Paper) SPEJ Apr., 69
Nedom, H. A. and Ramsay, H. J., Jr.: *Exploration and Development of a New Petroleum Province — Java Sea, Indonesia*, (Tech. Paper) JPT Apr., 395
Neinast, G. S. *et al.*: *Case Histories of Three In-Situ Combustion Projects*, (Tech. Paper) JPT July, 784
Newman, G. H.: *Pore-Volume Compressibility of Consolidated, Friable, and Unconsolidated Reservoir Rocks Under Hydrostatic Loading*, (Tech. Paper) JPT Feb., 129
Nierode, D. E.: *Discussion on An Analysis of the Acidizing Process in Acid Fracturing*, SPEJ Aug., 249
Nieto, G. *et al.*: *A Staged Fracturing Treatment for Multisand Intervals*, (Tech. Paper) JPT Aug., 897
Ninomiya, K. *et al.*: *A Study of Suction and Scouring of Bottom-Sitting Offshore Structures*, (Tech. Paper) JPT Mar., 279
Nolen, K. B. and Gibbs, S. G.: *Wellsite Diagnosis of Pumping Problems Using Minicomputers*, (Tech. Paper) JPT Nov., 1319
Nolte, K. G. and Hsu, F. H.: *Statistics of Ocean Wave Group*, SPEJ June, 139

O

O'Brien, D. E. and Chenevert, M. E.: *Stabilizing Sensitive Shales With Inhibited Potassium-Based Drilling Fluids*, JPT Sept., 1089
O'Dell, P. M. and Chase, C. A.: *Application of Variational Principles to Cap and Base Rock Heat Losses*, SPEJ Aug., 200

O'Dell, P. M. *et al.*: *Optimization of Gas Field Operations,* (Tech. Paper) JPT Apr., 419
Ombret, R. *et al.*: *A Numerical Model of Multiphase Flow Around a Well,* (Tech. Paper) SPEJ Dec., 311
Overbey, W. K., Jr., *et al.*: *Delineating a Subsurface Fracture System in a Petroleum Reservoir — An Experiment,* (Tech. Paper) JPT May, 531
Owens, W. W. and Murphy, R. P.: *The Use of Special Coring and Logging Procedures for Defining Reservoir Residual Oil Saturations,* JPT July, 841

P

Page, W. A. *et al.*: *Support Programs for a Large-Scale Computer Production Control Project,* (Tech. Paper) JPT Jan., 31
Parker, C. A.: *Geopressures in the Deep Smackover of Mississippi,* JPT Aug., 971
Paul, G. W. and Froning, H R.: *Salinity Effects of Micellar Flooding,* (Forum) JPT Aug., 957
Penberthy, W. L., Jr., *et al.*: *Calculating the Steam-Stimulated Performance of Gas-Lifted and Flowing Heavy-Oil Wells,* JPT Oct., 1207
Perkins, T. K.: *Discussion on the Design of Vertical Hydraulic Fractures,* JPT Jan., 93
Perkins, T. K. and Ruedrich, R. A.: *The Mechanical Behavior of Synthetic Permafrost,* SPEJ Aug., 211
Perkins, T. K. *et al.*: *Reservoir Waterflood Residual Oil Saturation From Laboratory Tests,* JPT Feb., 175
Perryman, T. L. *et al.*: *Evaluations and Design of a CO_2 Miscible Flood Project — SACROC Unit, Kelly-Snyder Field,* JPT Nov., 1309
Phillips, H. M. *et al.*: *Use of Polymers To Control Water Production in Oil Wells,* (Tech. Paper) JPT Feb., 143
Piplapure, A. R. and Dranchuk, P. M.: *Inertial and Slip Effects in Steady-State Radial Gas Flow Through Porous Media,* (Forum) JPT Oct., 1155
Poppe, R. E. and Elkins, L. F.: *Determination of Residual Oil Saturation Behind a Waterflood — A Case History,* (Tech. Paper) JPT Nov., 1237
Prats, M. and Miller, W. C.: *The Role of Technical Publications in the Advancement of Fluid Injection Processes for Oil Recovery,* (Tech. Paper) JPT Dec., 1361
Pursley, S. A. *et al.*: *A Field Test of Surfactant Flooding, Loudon, Illinois,* (Tech. Paper) JPT July, 793
Purvis, R. A. *et al.*: *Retrograde Condensation in Porous Media,* SPEJ Apr., 93

R

Ramey, H. J., Jr., and Gringarten, A. C.: *The Use of Source and Green's Functions in Solving Unsteady-Flow Problems in Reservoirs,* SPEJ Oct., 285
Ramey, H. J., Jr., *et al.*: *Wellbore Effects in Injection Well Testing,* (Tech. Paper) JPT Nov., 1244
Ramsay, H. J., Jr., and Nedom, H. A.: *Exploration and Development of a New Petroleum Province — Java Sea, Indonesia,* (Tech. Paper) JPT Apr., 395
Rathmell, J. J. *et al.*: *Reservoir Waterflood Residual Oil Saturation From Laboratory Tests,* JPT Feb., 175
Reed, M. G., *et al.*: *Field Results From Wells Treated With Hydroxy-Aluminum,* (Tech. Paper) JPT Sept., 1108
Reisberg, J. *et al.*: *Aqueous Surfactant Systems for Oil Recovery,* JPT Feb., 186
Reynolds, E. B. *et al.*: *Potential Hazards of Acoustic-Log Shale Pressure Plots,* (Tech. Paper) JPT Sept., 1039
Rhoades, V. W. and Vairogs, J.: *Pressure Transient Tests in Formations Having Stress-Sensitive Permeability,* JPT Aug., 965
Richardson, J. E. *et al.*: *Methods for Determining Residual Oil With Pulsed Neutron Capture Logs,* JPT May 593
Richardson, J. G. and Stone, H. L.: *A Quarter Century of Progress in the Application of Reservoir Engineering,* (Tech. Paper) JPT Dec., 1371
Rijnders, J. P.: *Application of Pulse-Test Methods in Oman,* (Tech. Paper) JPT Sept., 1025
Ronquille, J. D. *et al.*: *Evaluations and Design of a CO_2 Miscible Flood Project — SACROC Unit, Kelly-Snyder Field,* JPT Nov., 1309
Root, P. J. and Crichlow, H. B.: *The Use of an r-z Model to Study the Effect of Completion Technique on Gas Well Deliverability,* (Tech. Paper) SPEJ Oct., 259
Rosman, A.: *Water Equilibrium in the Dehydration of Natural Gas With Triethylene Glycol,* SPEJ Oct., 297
Ruedrich, R. A. and Perkins, T. K.: *The Mechanical Behavior of Synthetic Permafrost,* SPEJ Aug., 211
Rumble, R. C. *et al.*: *The Structure and Interpretation of Noise From Flow Behind Cemented Casing,* JPT Mar., 329

S

Sahuquet, B. C. and Burger, J. G.: *Laboratory Research on Wet Combustion,* (Tech. Paper) JPT Oct., 1137
Salathiel, R. A.: *Oil Recovery by Surface Film Drainage in Mixed-Wettability Rocks,* JPT Oct., 1216
Sandvik, E. I. and Gale, W. W.: *Tertiary Surfactant Flooding: Petroleum Sulfonate Composition-Efficacy Studies* (Tech. Paper) SPEJ Aug., 191
Sandvik, E. I. *et al.*: *A Field Test of Surfactant Flooding, Loudon, Illinois,* (Tech. Paper) JPT July, 793
Sarem, A. M.: *Drag Reduction Does Not Always Increase With Increased Flow Velocity,* (Forum) JPT June, 673
Schols, R. S. *et al.*: *An Analysis of the Acidizing Process in Acid Fracturing,* SPEJ Aug., 239; discussion, 249
Schoonover, L. G. and Holt, O. R.: *Computer Methods of Diplog Correlation,* (Tech. Paper) SPEJ Feb., 31
Schüler, S. *et al.*: *Reservoir Evaluation and Deliverability Study, Bierwang Field, West Germany,* (Tech. Paper) JPT Jan., 23
Seinfeld, J. H. and Gavalas, G. R.: *Reservoirs With Spatially Varying Properties: Estimation of Volume From Late Transient Pressure Data,* (Tech. Paper) SPEJ Dec., 335
Shallenberger, L. K. *et al.*: *Single-Well Tracer Method To Measure Residual Oil Saturation,* JPT Feb., 211
Shelton, J. L. and Morris, E. E.: *Cyclic Injection of Rich Gas Into Producing Wells To Increase Rates From Viscous-Oil Reservoirs,* (Tech. Paper) JPT Aug., 890
Shelton, J. L. *et al.*: *A Multicell Equilibrium Separation Model for the Study of Multiple Contact Miscibility in Rich-Gas Drives,* SPEJ June, 147
Shuck, L. Z. *et al.*: *Delineating a Subsurface Fracture System in a Petroleum Reservoir — An Experiment,* (Tech. Paper) JPT May, 531
Sigmund, P. M. *et al.*: *Retrograde Condensation in Porous Media,* SPEJ Apr., 93
Silbergh, M. and Brons, F.: *Profitability Analysis of Leveraged Transactions,* (Tech. Paper) JPT Mar., 319
Skinner, W. C.: *A Quarter Century of Production Practices,* (Tech. Paper) JPT Dec., 1425
Slider, H. C.: *Discussion on Variable Flow Rate Reservoir Limit Testing,* (Tech. Paper) JPT Feb., 153
Slobod, R. L. and Burcik, E. J.: *Discussion on Microscopic Observations of Polyacrylamide Structures,* (Forum) JPT May, 544
Smith, J. E.: *Shale Compaction,* SPEJ Feb., 12
Smith, O. J. E. *et al.*: *The Modeling of a Three-Dimensional Reservoir With a Two-Dimensional Reservoir Simulator — The Use of Dynamic Pseudo Functions,* (Tech. Paper) SPEJ June, 175
Smith, R. V. *et al.*: *Recovery of Oil by Steam Injection in the Smackover Field, Arkansas,* (Tech. Paper) JPT Aug., 883
Somerton, W. H. *et al.*: *Predicting Thermal Conductivities of Formations From Other Known Properties,* (Tech. Paper) SPEJ Oct., 267
Sonier, F. *et al.*: *A Numerical Model of Multiphase Flow Around a Well,* (Tech. Paper) SPEJ Dec., 311
Stauffer, T. R.: *Economic Cost of U. S. Crude Oil Production,* (Tech. Paper) JPT June, 643; discussion, 657
Stegemeier, G. L. *et al.*: *Aqueous Surfactant Systems for Oil Recovery,* JPT Feb., 186
Field Test of an Aqueous Surfactant System for Oil Recovery, Benton Field, Illinois, JPT Feb., 195
Steubing, N. W. *et al.*: *Optimization of Gas Field Operations,* (Tech. Paper) JPT Apr., 419

Stone, H. L. and Richardson, J. G.: *A Quarter Century of Progress in the Application of Reservoir Engineering,* (Tech. Paper) JPT Dec., 1371
Sullivan, R. L.: *Comparison of North Sea Gas Sales Contracts With U. S. Contracts,* (Tech. Paper) JPT Oct., 1130
Sumner, E. F. and Eilerts, C. K.: *Computing the Movement of Injected Raw Helium in Bush Dome Reservoir,* (Tech. Paper) JPT Jan., 16
Sutko, A. A.: *Drilling Hydraulics — A Study of Chip Removal Force Under a Full-Size Jet Bit,* SPEJ Aug., 233

T

Tagaya, K. *et al.*: *A Study of Suction and Scouring of Bottom-Sitting Offshore Structures,* (Tech. Paper) JPT Mar., 279
Templeton, E. E. *et al.*: *Recovery of Oil by Steam Injection in the Smackover Field, Arkansas,* (Tech. Paper) JPT Aug., 883
Thomas, J. E. and Driscoll, V. J.: *A Modeling Approach for Optimizing Waterflood Performance, Slaughter Field Chickenwire Pattern,* (Tech. Paper) JPT July, 757
Thomas, G. W. and McMichael, C. L.: *Reservoir Simulation by Galerkin's Method,* (Tech. Paper) SPEJ June, 125
Timko, D. J. *et al.*: *Potential Hazards of Acoustic-Log Shale Pressure Plots,* (Tech. Paper) JPT Sept., 1039
Timur, A. and Jennings, H. Y., Jr.: *Significant Contributions in Formation Evaluation and Well Testing,* (Tech. Paper) JPT Dec., 1432
Tinker, G. E.: *Gas Injection With Radioactive Tracer To Determine Reservoir Continuity — East Coalinga Field, California,* (Tech. Paper) JPT Nov., 1251
Tomich, J. F. *et al.*: *Single-Well Tracer Method To Measure Residual Oil Saturation,* JPT Feb., 211
Topp, J. F. and Weersma, J.: *Planning and Design of Fixed-Berth Structures for 300,000- to 500,000-DWT Tankers,* (Tech. Paper) JPT July, 764
Tragesser, A. and Beirute, R.: *Expansive and Shrinkage Characteristics of Cements Under Actual Well Conditions,* (Tech. Paper) JPT Aug., 905
Tussing, A. R.: *Discussion of the Economic Cost of U. S. Crude Oil Production,* (Tech. Paper) JPT June, 657

U

Ueber, R. C. *et al.*: *Field Test of an Aqueous Surfactant System for Oil Recovery, Benton Field, Illinois,* JPT Feb., 195

V

Vadgama, U. N. and Hinkle, B. B.: *Crossflooding To Improve Waterflood Efficiency in Big Sinking Field, Kentucky,* (Tech. Paper) JPT Sept., 1021
Vairogs, J. and Rhoades, V. W.: *Pressure Transient Tests in Formations Having Stress-Sensitive Permeability,* JPT Aug., 965
van Domselaar, H. R. *et al.*: *An Analysis of the Acidizing Process in Acid Fracturing,* SPEJ Aug., 239; discussion, 249
van Wingen, N. *et al.*: *Coalinga Nose Pressure Maintenance Project,* (Tech. Paper) JPT Oct., 1147
Vetter, O. J.: *The Chemical Squeeze Process — Some New Information on Some Old Misconceptions,* JPT Mar., 339
Visser, W. *et al.*: *An Analysis of the Acidizing Process in Acid Fracturing,* SPEJ Aug., 239; discussion, 249

W

Walker, B. H.: *Some Technical and Economic Aspects of Stabilizer Placement,* (Tech. Paper) JPT June, 663
Warren, H. G. and Bills, R. V.: *Interfacial Tension of Normal Heptane,* (Forum) JPT May, 543
Watts, J. W.: *A Method for Improving Line Successive Overrelaxation in Anisotropic Problems — A Theoretical Analysis,* SPEJ Apr., 105
Weersma, J. and Toppler, J. F.: *Planning and Design of Fixed-Berth Structures for 300,000- to 500,000-DWT Tankers,* (Tech. Paper) JPT July, 764
Wegner, R. E. *et al.*: *Failure of Stream Tube Methods To Predict Waterflood Performance of an Isolated Inverted Five-Spot at Favorable Mobility Ratios,* (Forum) JPT Feb., 151
Welsh, J. P. *et al.*: *Development of a Sea-Ice Penetrometer,* (Tech. Paper) JPT Mar., 249
Wheeler, J. D. and Jahns, H. O.: *Long-Term Wave Probabilities Based on Hindcasting of Severe Storms,* JPT Apr., 473
White, J. L. *et al.*: *Use of Polymers To Control Water Production in Oil Wells,* (Tech. Paper) JPT Feb., 143
Williams, B. B. *et al.*: *A Staged Fracturing Treatment for Multisand Intervals,* (Tech. Paper) JPT Aug., 897
Wilson, G. J. and Bush, R. E.: *Pressure Prediction With Flowline Temperature Gradients,* (Tech. Paper) JPT Feb., 135
Wolters, J. G.: *Lateral Load Capacity of Piles in Offshore Structures,* JPT Apr., 487
Wong, S. W. and Archer, J. S.: *Use of a Reservoir Simulator To Interpret Laboratory Waterflood Data,* (Tech. Paper) SPEJ Dec., 343
Woo, P. T. *et al.*: *Failure of Stream Tube Methods To Predict Waterflood Performance of an Isolated Inverted Five-Spot at Favorable Mobility Ratios,* (Forum) JPT Feb., 151
Wyman, R. E. *et al.*: *Methods for Determining Residual Oil With Pulsed Neutron Capture Logs,* JPT May, 593

Y

Young, C. W. *et al.*: *Development of a Sea-Ice Penetrometer,* (Tech. Paper) JPT Mar., 249
Young, F. S., Jr., and Gray, G. R.: *25 Years of Drilling Technology — A Review of Significant Accomplishments,* (Tech. Paper) JPT Dec., 1347

Z

Zanier, A. M. *et al.*: *Determining Fracture Pressure Gradients From Well Logs,* (Tech. Paper) JPT Nov., 1259
Potential Hazards of Acoustic-Log Shale Pressure Plots, (Tech. Paper) JPT Sept., 1039
Zaremba, W. A.: *Directional Survey by the Circular Arc Method,* SPEJ Feb., 5
Zaslawsky, M. and Blake, A.: *Friction and Bearing Loads on Buried Pipes,* (Tech. Paper) SPEJ June, 163

Subject Index

A

ABC Transactions: profitability analysis, (Tech. Paper) JPT Mar., 319
Acidizing: process: analysis in acid fracturing, SPEJ Aug., 239
well completions and stimulation advances: during JPT's first quarter century, (Tech. Paper) JPT Dec., 1447
Acids: octanoic: wettability control with; displacement studies in dolomite, SPEJ Aug., 221
Acoustic log: shale pressure plots: potential hazards of interpretation, (Tech. Paper) JPT Sept., 1039
Alogrithm: diplog correlation: computer processing, (Tech. Paper) SPEJ Feb., 31
Aluminum: hydroxy: field results from well treated with, (Tech. Paper) JPT Sept., 1108
Anchor: lines: wire ropes for anchoring semisubmersibles, (Tech. Paper) JPT June, 659
Anisotropic problems: method for improving line successive overrelaxation: theoretical analysis, SPEJ Apr., 105
Aquifer: gas reservoir: material balance for a bottom-water drive, (Tech. Paper) SPEJ Dec., 328
Arbitration: gas sales contracts: comparison of North Sea with U.S., (Tech. Paper) JPT Oct., 1130

Arctic: offshore platforms: coping with nature, (Tech. Paper) JPT Mar., 257
Ardjuna complex: Indonesia: exploration and development of new petroleum province in Java Sea, (Tech. Paper) JPT Apr., 395
Arkansas: Smackover field, Arkansas: recovery of oil by steam injection, (Tech. Paper) JPT Aug., 883
Automation: management and economics: a review (Tech. Paper) JPT Dec., 1342
production practices: quarter century of progress, (Tech. Paper) JPT Dec., 1425

B

Bearing loads: buried pipes, (Tech. Paper) SPEJ June, 163
Benton field: *See* Illinois
Berthing: structures: planning and design for 300,000- to 500,000-DWT tankers, (Tech. Paper) JPT July, 764
Bierwang field: *See* Germany
Big Sinking field: *See* Kentucky
Biodegradation: spilled oil: behavior of components on their way through the soil, (Forum) JPT Sept., 1045
Bits: drill: high-pressure tests, JPT July, 851
review of 25 years of technology; significant accomplishments, (Tech. Paper) JPT Dec., 1347
full-size jet: study of chip removal force under, SPEJ Aug., 233
Blowout: preventers: geothermal drilling in California, (Tech. Paper) JPT Sept., 1033
Bolivar Coastal field: *See* Venezuela
Boreholes: hydraulic fractures: study of those inclined, (Tech. Paper) SPEJ Apr., 61
Bottom-water drive: gas reservoir: material balance, (Tech. Paper) SPEJ Dec., 328
Boundary conditions: around well: numerical model of multiphase flow, (Tech. Paper) SPEJ Dec., 311
Buildup curves: *See* Pressure buildup
Bush Dome reservoir: *See* Texas

C

California: Coalinga Nose field: pressure maintenance project, (Tech. Paper) JPT Oct., 1147
East Coalinga field: gas injection with radioactive tracer to determine reservoir continuity, (Tech. Paper) JPT Nov., 1251
Imperial Valley: geothermal drilling, (Tech. Paper) JPT Sept., 1033
Los Angeles Basin field: wells treated with hydroxy-aluminum; field results, (Tech. Paper) JPT Sept., 1108
Midway-Sunset field: crude-oil-in-water emulsions to improve fluid flow, (Tech. Paper) JPT June, 721
Santa Barbara Channel field: offshore fracture gradients, (Tech. Paper) JPT Aug., 910
Canada: field tests: stabilizing sensitive shales with inhibited, potassium-based drilling fluids, JPT Sept., 1089
Capacity: lateral load: piles in offshore structures, JPT Apr., 487
Carbon dioxide: slug: evaluations and design of a miscible flood project; SACROC unit, Kelly-Snyder field, JPT Nov., 1309
Case histories: *See* Field case history
Cash flow: profitability analysis: leveraged transactions, (Tech. Paper) JPT Mar., 319
Casing: cemented: structure and interpretation of noise from flow behind casing, JPT Mar., 329
design: effects of metal thickness and temperature for deep, sour wells, JPT Apr., 499
perforations: experimental investigation of hydraulic fracturing, JPT Oct., 1201
programs: 25 years of drilling technology; review of significant accomplishments, (Tech. Paper) JPT Dec., 1347
stability: temperature distribution in circulating mud column, (Tech. Paper) SPEJ Feb., 23
Cement: expansive and shrinkage characteristics: under actual well conditions, (Tech. Paper) JPT Aug., 905
slurries: used in mud displacement, (Tech. Paper) JPT July, 775
Cementing: geothermal wells: Imperial Valley, California, (Tech. Paper) JPT Sept., 1033
well completions and stimulation advances: during JPT's first quarter century. (Tech. Paper) JPT Dec., 1447
Channeling: oil reservoir: crude-oil-in-water emulsions to improve fluid flow, (Tech. Paper) JPT June, 721
Chemical: squeezing: some new information on some old misconceptions, JPT Mar., 339
tracer: single-well method to measure residual oil saturation, JPT Feb., 211
Choctaw: vessel for offshore construction in heavy seas, (Tech. Paper) JPT Apr., 387
Chromatography: tracing oil as a pollutant in water, (Tech. Paper) JPT Mar., 243
Cinta field: *See* Indonesia
Circular arc method: directional survey, SPEJ Feb., 5
Coalinga Nose field: *See* California
Colorado: Muddy Sandstone field: use of special coring and logging procedures for defining reservoir residual oil saturations, JPT July, 841
Rio Blanco unit: evaluation of low-permeabilty gas-bearing formations, (Tech. Paper) JPT Oct., 1125
Combustion: wet: laboratory research on combustion-front velocity, (Tech. Paper) JPT Oct, 1137
Communications: between operations and engineering: bridging the information gap, (Tech. Paper) JPT Apr., 411
Compaction: oil and gas reservoirs: land subsidence above, JPT June, 734
shale, SPEJ Feb., 12
Completion: *See* Well completion
Completion Practice: *See* Well completion
Composition: efficacy studies; petroleum sulfonate: tertiary surfactant flooding, (Tech. Paper) SPEJ Aug., 191
Compressibility: pore-volume: consolidated, friable and unconsolidated reservoir rocks under hydrostatic loading, (Tech. Paper) JPT Feb., 129
Computers: core storage saving: application of variational principles to cap and base rock heat losses, SPEJ Aug., 200
model: use of standard *r-z* type to study effect of completion technique on gas well deliverability, (Tech. Paper) SPEJ Oct., 259
production control: bridging information gap between operations and engineering, (Tech. Paper) JPT Apr., 411
program: ALGOL 60 for directional survey by circular arc method, SPEJ Feb., 5
calculating steam-stimulated performance of gas-lifted and flowing heavy-oil wells, JPT Oct., 1207
diplog correlation, (Tech. Paper) SPEJ Feb., 31
movement of injected raw helium; Bush Dome reservoir, Texas, (Tech. Paper) JPT Jan., 16
support for large-scale production control project, (Tech. Paper) JPT Jan., 31
systems: wellsite diagnosis of pumping problems, (Tech. Paper) JPT Nov., 1319
Concentration: proppant: high values give successful stimulation of deep wells, (Tech. Paper) JPT Aug., 959
Condensates: reservoirs: single-well performance predictions, JPT July, 860
Conductivity: fluid: fracture proppants in multiple layers, JPT Sept., 1101
thermal: predicting for formations from other known properties, (Tech. Paper) SPEJ Oct., 267
Conduits: *See* Tubing
Coning: *See* Water coning
Conservation: management and economics; a review, (Tech. Paper) JPT Dec., 1342
Construction: offshore: vessel for heavy seas, (Tech Paper) JPT Apr., 387
Contingency planning: oil spill: North Sea, (Forum) JPT Oct., 1153
Contracts: gas sales: comparison of North Sea and U.S. contracts, (Tech. Paper) JPT Oct., 1130
Control: water production use of polymers in oil wells, (Tech. Paper) JPT Feb., 143
wettability: with octanoic acid; displacement studies in dolomite, SPEJ Aug., 221
Convection: miscible flow: multicomponent compressible stable type; numerical solution with second-order accuracy, (Tech. Paper) SPEJ Apr., 84
Core Analysis: evaluation of low-permeability gas-bearing formations: Rio Blanco County, Colorado, (Tech. Paper) JPT Oct., 1125
formation evaluation: significant contributions, (Tech. Paper) JPT Dec., 1432
residual oil saturation: determination behind a water-

flood, (Tech. Paper) JPT Nov., 1237
Cores: fissured reservoir: determining the elementary matrix block; Eschau field, France, (Tech. Paper) JPT May, 523
mixed wettability: oil recovery by surface film drainage, JPT Oct., 1216
residual oil saturation after waterflood: laboratory tests, JPT Feb., 175
sand-ice: mechanical behavior of synthetic permafrost, SPEJ Aug., 211
Coring: procedures: use with logging for defining reservoir residual oil saturations, JPT July, 841
Correlations: diplog: computer methods, (Tech. Paper) SPEJ Feb., 31
empirical: Gulf Coast reservoir oils; dimensionless PVT behavior, (Tech. Paper) JPT May, 538
error in calculated skin factor with testing time: estimating when analyzing two-rate flow tests, (Forum) JPT May, 545
normal heptane: experimental pendent-drop data and interfacial tension, (Forum) JPT May, 543
pore structure of sandstones vs tertiary oil recovery, (Forum) SPEJ Oct., 256
pore-volume compressibility-porosity: consolidated, friable and unconsolidated reservoir rocks under hydrostatic loading, (Tech. Paper) JPT Feb., 129
rock stress vs rock density: offshore fracture gradients, (Tech. Paper) JPT Aug., 910
thermal conductivity with other known properties of formations, (Tech. Paper) SPEJ Oct., 267
two-phase flow: inclined pipes, JPT May, 607
Corrosion: control: quarter century of production practices, (Tech. Paper) JPT Dec., 1425
Costs: crude oil production: U. S., (Tech. Paper) JPT June, 643; discussion, 657
platforms: southern North Sea, (Forum) JPT Sept., 1046
Crossflooding: Big Sinking field, Kentucky: improving waterflood efficiency, (Tech. Paper) JPT Sept., 1021
Crude oil: development and production: overview; 25 years of professional contribution, (Tech. Paper) JPT Dec., 1337
production: economic cost of U. S., (Tech. Paper) JPT June, 643; discussion, 657
Currents: coastal: significance of time-dependent transports in storm-generated types, (Tech. Paper) SPEJ June, 156
Cycling: *See* Gas cycling

D

Darcy's law: permeability: uniformly vuggy porous medium, (Tech. Paper) SPEJ Apr., 69
Data: acquisition systems: delineating a subsurface fracture system in a petroleum reservoir, (Tech. Paper) JPT May, 531
late transient pressure: estimation of volume; reservoirs with spatially varying properties, (Tech. Paper) SPEJ Dec., 335
Dehydration: natural gas: with triethylene glycol; water equilibrium in, SPEJ Oct., 297
Deliverability: gas well: use of *r-z* model to study effect of completion technique, (Tech. Paper) SPEJ Oct., 259
study: Bierwang field, West Germany, (Tech. Paper) JPT Jan., 23
Design: buried pipes: friction and bearing loads, (Tech. Paper) SPEJ June, 163
casing and tubing: effects of metal thickness and temperature for deep, sour wells, JPT Apr., 499
CO_2 miscible flood project: SACROC unit, Kelly-Snyder field, JPT Nov., 1309
fixed-berth structures: for 300,000- to 500,000-DWT tankers, (Tech. Paper) JPT July, 764
information system: bridging gap between operations and engineering, (Tech. Paper) JPT Apr., 411
offshore platforms: coping with nature, (Tech. Paper) JPT Mar., 257
pile foundation: lateral load capacity in offshore structures, JPT Apr., 487
platforms: southern North Sea, (Forum) JPT Sept., 1046
use of X-bracing in fixed offshore structures, (Tech. Paper) SPEJ Apr., 75
sea-ice penetrometer, (Tech. Paper) JPT Mar., 249
vertical hydraulic fractures, JPT Jan., 83; discussion, 93
Detectors: remote sensing techniques for oil slicks, (Tech. Paper) JPT Mar., 267
Detuning tank: motion stabilizing device, (Tech. Paper) SPEJ Feb., 48
Developments: drilling technology: review of significant accomplishments over last 25 years, (Tech. Paper) JPT Dec., 1347
Indonesia: Java Sea, new petroleum province, (Tech. Paper) JPT Apr., 395
petroleum: overview; 25 years of professional contribution, (Tech. Paper) JPT Dec., 1337
sea-ice penetrometer, (Tech. Paper) JPT Mar., 249
steam zone: effect of pressure and rate; steamflooding, SPEJ Oct., 274
Diffusion: miscible flow: multicomponent compressible stable type; numerical solution with second-order accuracy, (Tech. Paper) SPEJ Apr., 84
Dimensionless: PVT behavior: Gulf Coast reservoir oils, (Tech. Paper) JPT May, 538
Dip logs: correlation: computer methods, (Tech. Paper) SPEJ Feb., 31
Directional surveys: by circular arc method, SPEJ Feb., 5
Displacement efficiency: crossflooding to improve waterflood: Big Sinking field, Kentucky, (Tech. Paper), JPT Sept., 1021
mud: with cement slurries, (Tech. Paper) JPT July, 775
Displacement mechanism: *See also* various types of displacement
dolomite: wettability control with octanoic acid, SPEJ Aug., 221
raw helium: computing movement when injected in Bush Dome reservoir, Texas, (Tech. Paper) JPT Jan., 16
reservoir engineering application: quarter century of progress, (Tech. Paper) JPT Dec., 1371
Distribution: temperature: circulating mud column, (Tech. Paper) SPEJ Feb., 23
Dolomite: displacement studies: with wettability control by octanoic acid, SPEJ Aug., 221
Drag reduction: does not always increase with increased flow velocity, (Forum) JPT June, 673
Drawdown tests: formations having stress-sensitive permeability, JPT Aug., 965
Drill bit: *See* Bits
Drilling: *See also* Offshore drilling
directional survey by circular arc method, SPEJ Feb., 5
fracture pressure gradients: determining from well logs, (Tech. Paper) JPT Nov., 1259
geothermal: California, (Tech. Paper) JPT Sept., 1033
high-pressure, JPT July, 851
hydraulics: study of chip removal force under a full-size jet bit, SPEJ Aug., 233
Indonesia: new petroleum province in Java Sea, (Tech. Paper) JPT Apr., 395
management and economics: a review (Tech. Paper) JPT Dec., 1342
offshore: coping with nature, (Tech. Paper) JPT Mar., 257
fracture gradients, (Tech. Paper) JPT Aug., 910
lateral load capacity of piles, JPT Apr., 487
returns: pressure prediction with flowline temperature gradients, (Tech. Paper) JPT Feb., 135
stabilizer placement: some technical and economic aspects, (Tech. Paper) JPT June, 663
technology: review of significant accomplishments over last 25 years, (Tech. Paper) JPT Dec., 1347
Drilling fluids: 25 years of technology: review of significant accomplishments, (Tech. Paper) JPT Dec., 1347
mud displacement with cement slurries, (Tech. Paper) JPT July, 775
potassium-based: inhibited; stabilizing sensitive shales, JPT Sept., 1089
temperature distribution: circulating columns, (Tech. Paper) SPEJ Feb., 23
water-base mud essential in coring: reservoir waterflood residual oil saturation from laboratory tests, JPT Feb., 175

E

Earth: subsurface fracture system: delineating in a petroleum reservoir; an experiment, (Tech. Paper) JPT May, 531
East Coalinga field: *See* California
East Texas field: *See* Texas
Economics: a review, (Tech. Paper) JPT Dec., 1342
crossflooding to improve waterflood efficiency: Big Sink-

ing field, Kentucky, (Tech. Paper) JPT Sept, 1021
crude oil production: cost of U.S., (Tech. Paper) JPT June, 643; discussion, 657
gas field operations: optimization, (Tech. Paper) JPT Apr., 419
profitability analysis: leveraged transactions, (Tech. Paper) JPT Mar., 319
stabilizer placement, (Tech. Paper) JPT June, 663
U.S. oil prices: impact of Tehran-Tripoli agreements, (Tech. Paper) JPT Nov., 1255
Elasticity: synthetic permafrost, SPEJ Aug., 211
Electric logging: *See* Well logging
Emulsions: crude-oil-in-water: to improve fluid flow in an oil reservoir, (Tech. Paper) JPT June, 721
oil-in water: flow properties in porous media, (Tech. Paper) JPT June, 727
Engineering: and operations: bridging the information gap between, (Tech. Paper) JPT Apr., 411
Environment: offshore: review of 25 years of progress, (Tech. Paper) JPT Dec., 1355
spilled oil: behavior of components on their way through the soil, (Forum) JPT Sept., 1045
Environmental Protection Agency: tracing oil as a pollutant in water, (Tech. Paper) JPT Mar., 243
Equilibrium: separation: multicell model for study of multiple contact miscibility in rich-gas drives, SPEJ June, 147
vapor-liquid: retrograde condensation in porous media, SPEJ Apr., 93
vertical: use of dynamic pseudo functions; modeling of three-dimensional reservoir with two-dimensional reservoir simulator, (Tech. Paper) SPEJ June, 175
water: dehydration of natural gas with triethylene glycol, SPEJ Oct., 297
Equipment: *See* also names of various types
detuning tank: effective motion stabilizing device, (Tech. Paper) SPEJ Feb., 48
expansion meter; testing characteristics of cements under actual well conditions, (Tech. Paper) JPT Aug., 905
fixed-berth structures: planning and design for 300,000- to 500,000-DWT tankers, (Tech. Paper) JPT July, 764
gas flotation: clarifying oilfield and refinery waste waters, JPT Apr., 426
geothermal drilling: California, (Tech. Paper) JPT Sept., 1033
laboratory: experimental for wet combustion, (Tech. Paper) JPT Oct., 1137
minicomputers: using for wellsite diagnosis of pumping problems, (Tech. Paper) JPT Nov., 1319
offshore construction barge: vessel for heavy seas, (Tech. Paper) JPT Apr., 387
offshore platforms: coping with nature, (Tech. Paper) JPT Mar., 257
piles: lateral load capacity in offshore structures, JPT Apr., 487
platforms: use of X-bracing in fixed offshore structures, (Tech. Paper) SPEJ Apr., 75
reservoir simulator: use to interpret laboratory waterflood data, (Tech. Paper) SPEJ Dec., 343
sea-ice penetrometer: development, (Tech. Paper) JPT Mar., 249
testing: support programs for large-scale computer production control project, (Tech. Paper) JPT Jan., 31
wire ropes: for anchoring semisubmersibles, (Tech. Paper) JPT June, 659
Eschau field: *See* France
Evaluations: *See also* Field tests, Formation evaluation, and Laboratory studies
CO_2 miscible flood project: SACROC unit, Kelly-Snyder field, JPT Nov., 1309
pulse-test methods: application in Oman, (Tech. Paper) JPT Sept., 1025
reservoir: Bierwang field, West Germany, (Tech. Paper) JPT Jan., 23
Exploration: Indonesia: Java Sea, new petroleum province, (Tech. Paper) JPT Apr., 395

F

Fahud oil field: *See* Oman
Fairway field: *See* Texas
Field applications: *See* Field tests
Field case history: Cinta field, Indonesia: exploration and development of new petroleum province in Java Sea, (Tech. Paper) JPT Apr., 395
Coalinga Nose field, California: pressure maintenance project, (Tech. Paper) JPT Oct., 1147
Fairway field, Texas: advanced technology improves recovery, (Tech. Paper) JPT Mar., 354
fluid injection processes: technical publications role in advancement, (Tech. Paper) JPT Dec., 1361
injection well testing: wellbore effects, (Tech. Paper) JPT Nov., 1244
in-situ combustion projects, (Tech. Paper) JPT july, 784
residual oil saturation: determination behind a waterflood, (Tech. Paper) JPT Nov., 1237
Slaughter field, Texas: chickenwire pattern; modeling approach for optimizing waterflood performance, (Tech. Paper) JPT July, 757
Slocum field, Texas: operation and performance of thermal recovery project, (Tech. Paper) JPT Apr., 402
Smackover field, Arkansas: recovery of oil by steam injection, (Tech. Paper) JPT Aug., 883
Field tests: *See also* Evaluations
chemical squeeze process: some new information on some old misconceptions, JPT Mar., 339
computer production control system: support programs, (Tech. Paper) JPT Jan., 31
crude-oil-in-water emulsions: to improve fluid flow in an oil reservoir, (Tech. Paper) JPT June, 721
cyclic injection: rich gas into producing wells to increase rates from viscous-oil reservoirs, (Tech. Paper) JPT Aug., 890
gas flotation: clarifying oilfield and refinery waste waters, (Tech. Paper) JPT Apr., 426
high-pressure drilling, JPT July, 851
low-tension waterflooding process, JPT Feb., 205
noise: structure and interpretation from flow behind cemented casing, JPT Mar., 329
oil recovery: aqueous surfactant systems, JPT Feb., 186 and 195
polymer solutions: reservoir stability, JPT May, 618
reservoir natural fracture systems: application of aerial photographic interpretation, (Tech. Paper) JPT Jan., 37
residual oil: methods for determining with pulsed neutron capture logs, JPT May, 593
sea-ice penetrometer, (Tech. Paper) JPT Mar., 249
single-well tracer method: measuring residual oil saturation, JPT Feb., 211
soluble-oil flooding at Higgs unit, (Tech. Paper) JPT Jan., 9
stabilizer placement: some technical and economic aspects, (Tech. Paper) JPT June, 663
stabilizing sensitive shales: with inhibited, potassium-based drilling fluids, JPT Sept., 1089
staged fracturing treatment: multisand intervals, (Tech. Paper) JPT Aug., 897
subsurface fracture system: delineating in a petroleum reservoir, (Tech. Paper) JPT May, 531
surfactant flooding: Loudon, Illinois, (Tech. Paper) JPT July, 793
water production control: use of polymers in oil wells, (Tech. Paper) JPT Feb., 143
wells treated with hydroxy-aluminum, (Tech. Paper) JPT Sept., 1108
Fields: *See* specific names
Financing: *See also* Investments and Economics
profitability analysis: leveraged transactions, (Tech. Paper) JPT Mar., 319
Finite-difference method: compared to Galerkin method: for reservoir simulation, (Tech. Paper) SPEJ June, 125
Fissured systems: Eschau field, France: determining the elementary matrix block, (Tech. Paper) JPT May, 523
Florida: Jay field: high-pressure drilling, JPT July, 851
Flow properties: oil-in-water emulsions: porous media, (Tech. Paper) JPT June, 727
rate: dependence of polymer retention, (Forum) JPT Nov., 1307
Flow tests: chemical squeeze process: some new information on some old misconceptions, JPT Mar., 339
two-rate: estimating errors when analyzing, (Forum) JPT May, 545
Flowmeter: flow behind cemented casing: structure and interpretation of noise, JPT Mar., 329

Fluid flow: *See also* specific applications such as Gas injection, Miscible displacement, Waterflooding
drag reduction: does not always increase with increased flow velocity, (Forum) JPT June, 673
dynamic pseudo functions: use in modeling of three-dimensional reservoir with two-dimensional reservoir simulator, (Tech. Paper) SPEJ June, 175
gas: inertial and slip effects in steady-state radial flow through porous media, (Forum) JPT Oct., 1155
injected raw helium: computing movement in Bush Dome reservoir, Texas, (Tech. Paper) JPT Jan., 16
miscible: multicomponent compressible stable type; numerical solution with second order accuracy, (Tech. Paper) SPEJ Apr., 84
mud columns: temperature distribution, (Tech. Paper) SPEJ Feb., 23
multiphase: around a well; numerical model, (Tech. Paper) SPEJ Dec., 311
factors affecting liquid-liquid relative permeabilities of consolidated porous medium, (Tech. Paper) SPEJ Feb., 39
oil reservoir: crude-oil-in-water emulsions to improve, (Tech. Paper) JPT June, 721
polymer solutions: reservoir stability, JPT May, 618
porous media: permeability of uniformly vuggy type, (Tech. Paper) SPEJ Apr., 69
spilled oil: behavior of components on their way through soil, (Forum) JPT Sept., 1045
thief zone: how to diagnose, (Forum) JPT July, 839
three-phase, multidimensional, compressible: reservoir simulation by Galerkin method, (Tech. Paper) SPEJ June, 125
two-phase: study in inclined pipes, JPT May, 607
unsteady-state: use of source and Green's functions in solving reservoir problems, SPEJ Oct., 285
Fluid injection: *See* Gas injection, Miscible displacement, Thermal recovery of oil, and Waterflooding
Fluid mechanics: design: vertical hydraulic fractures, JPT Jan., 83; discussion, 93
study of chip removal force under a full-sized jet bit, SPEJ Aug., 233
Fluid properties: *See* specific property
Formation damage: well completions and stimulation advances: during JPT's first quarter century, (Tech. Paper) JPT Dec., 1447
Formation evaluation: *See also* Core analysis, Drawdown analyses, Pressure buildup, and Well logging
low-permeability gas-bearing strata: Rio Blanco County, Colorado, (Tech. Paper) JPT Oct., 1125
residual oil: methods for determining with pulsed neutron capture logs, JPT May, 593
significant contributions, (Tech. Paper) JPT Dec., 1432
Formation fractures: design of vertical hydraulic fractures, JPT Jan., 83; discussion, 93
inclined hydraulic: study of, (Tech. Paper) SPEJ Apr., 61
natural systems: application of aerial photographic interpretation to reservoir study, (Tech. Paper) JPT Jan., 37
offshore gradients, (Tech. Paper) JPT Aug., 910
pressure gradient determination: well logs, (Tech. Paper) JPT Nov., 1259
subsurface system: delineating in a petroleum reservoir; an experiment, (Tech. Paper) JPT May, 531
Formation fracturing: acid fracturing: analysis of acidizing, SPEJ Aug., 239
conductivity of proppants in multiple layers, JPT Sept., 1101
deep wells: successful using high proppant concentrations, (Tech. Paper) JPT Aug., 959
hydraulic fracturing through perforations: experimental investigation, JPT Oct., 1201
staged treatment: for multisand intervals, (Tech. Paper) JPT Aug., 897
well completions and stimulation advances: during JPT's first quarter century, (Tech. Paper) JPT Dec., 1447
Fractured reservoirs or fracturing: *See* Formation fractures and Formation fracturing
Fractures: *See* Formation fractures
France: Eschau field: determining the elementary matrix block in a fissured reservoir, (Tech. Paper) JPT May, 523
Friction: loads: buried pipes, (Tech. Paper) SPEJ June, 163
Frio Sand field: *See* Texas
Functions: pseudo: modeling of three-dimensional reservoir with two-dimensional reservoir simulator, (Tech. Paper) SPEJ June, 175
source and Green's: use in solving unsteady-flow problems in reservoirs, SPEJ Oct., 285

G

Galerkin method: reservoir simulation, (Tech. Paper) SPEJ June, 125
Gas condensates: *See* Condensates
Gas cycling: technical publications: role in advancement of fluid injection processes, (Tech. Paper) JPT Dec., 1361
Gas drive: rich: study of multiple contact miscibility using multicell equilibrium separation model, SPEJ June, 147
Gas fields: optimization of operations, (Tech. Paper) JPT Apr., 419
Gas flotation: clarifying oilfield and refinery waste waters, (Tech. Paper) JPT Apr., 426
Gas injection: Coalinga Nose field, California, (Tech. Paper) JPT Oct., 1147
technical publications: role in advancement of fluid injection processes, (Tech. Paper) JPT Dec., 1361
with radioactive tracer: reservoir continuity determination, (Tech. Paper) JPT Nov., 1251
Gas lift: production practices: quarter century of progress, (Tech. Paper) JPT Dec., 1425
wells: calculating steam-stimulated performance of heavy-oil wells, JPT Oct., 1207
Gas reservoirs: bottom-water drive: material balance (Tech. Paper) SPEJ Dec., 328
compaction: land subsidence above, JPT June, 734
evaluation of low-permeability formations: Rio Blanco County, Colorado, (Tech. Paper) JPT Oct., 1125
Gas sales: North Sea: comparison of contracts with U.S. contracts, (Tech. Paper) JPT Oct., 1130
Gas wells: deliverability: use of *r-z* model to study effect of completion technique, (Tech. Paper) SPEJ Oct., 259
pressure transient tests: formations having stress-sensitive permeability, JPT Aug., 965
stimulation: conductivity of fracture proppants in multiple layers, JPT Sept., 1101
transient flow: solution of nonlinear equations, SPEJ Dec., 348
Gases: *See also* Natural gases
rich: cyclic injection into producing wells to increase rates from viscous-oil reservoirs, (Tech. Paper) JPT Aug., 890
Geopressures: deep Smackover: Mississippi, JPT Aug., 971
Geothermal gradient: *See* Thermal properties
Germany: West: reservoir evaluation and deliverability study, Bierwang field, (Tech. Paper) JPT Jan., 23
Glen Hummel field: *See* Texas
Gloriana field: *See* Texas
Glycols: triethylene: water equilibrium in dehydration of natural gas, SPEJ Oct., 297
Graphical analysis: acoustic-log shale pressure plots: potential hazards of interpretation, (Tech. Paper) JPT Sept., 1039
interfacial tension: normal heptane, (Forum) JPT May, 543
shale compaction: SPEJ Feb., 12
transmissibility: estimating errors when analyzing two-rate flow tests, (Forum) JPT May, 545
Gravel packing: fluid: field results from wells treated with hydroxy-aluminum, (Tech. Paper) JPT Sept., 1108
Gravity drainage: improvement: Coalinga Nose pressure maintenance project, (Tech. Paper) JPT Oct., 1147
reservoir: gas injection with radioactive tracer to determine reservoir continuity, (Tech. Paper) JPT Nov., 1251
Green's functions: use in solving unsteady-flow problems in reservoirs, SPEJ Oct., 285
Groningen gas reservoir: *See* Netherlands
Gulf Coast: acoustic-log shale pressure plots: potential hazards in interpretation, (Tech. Paper) JPT Sept., 1039
field results: wells treated with hydroxy-aluminum, (Tech. Paper) JPT Sept., 1108
Mississippi: geopressures in deep Smackover, JPT Aug., 971

pressure prediction with flowing temperature gradients, (Tech. Paper) JPT Feb., 135
reservoir oils: dimensionless PVT behavior, (Tech. Paper) JPT May, 538
sands: determining fracture pressure gradients from well logs, (Tech. Paper) JPT Nov., 1259
Gulf of Mexico: wave probabilities: long-term estimates based on hindcasting of severe storms, JPT Apr., 473

H

Heat flow: losses to cap and base rock: application of variational principles, SPEJ Aug., 200
Heat transfer: circulating mud columns, (Tech. Paper) SPEJ Feb., 23
Helium: raw: computing movement when injected in Bush Dome reservoir, (Tech. Paper) JPT Jan., 16
Heptane: normal: interfacial tension, (Forum) JPT May, 543
Higgs unit: *See* Texas
High pressure: drilling, JPT July, 851
History: drilling technology: review of significant accomplishments over last 25 years, (Tech. Paper) JPT Dec., 1347
offshore environment: review of 25 years of progress, (Tech. Paper) JPT Dec., 1355
petroleum development and production: overview; 25 years of professional development, (Tech. Paper) JPT Dec., 1337
reservoir engineering: quarter century of progress in application, (Tech. Paper) JPT Dec., 1371
well completions and stimulation advances: during JPT's first quarter century, (Tech. Paper) JPT Dec., 1447
Hydrocarbon recovery: *See* Oil recovery
Hydrodynamics: geopressures: deep Smackover of Mississippi, JPT Aug., 971
Hydroxy-aluminum process: field results from wells treated with, (Tech. Paper) JPT Sept., 1108

I

Ice: offshore: coping with nature, (Tech. Paper) JPT Mar., 257
sea: development of a penetrometer, (Tech. Paper) JPT Mar., 249
review of 25 years of progress of offshore environment, (Tech. Paper) JPT Dec., 1355
Illinois: Benton field: aqueous surfactant systems for oil recovery, JPT Feb., 186 and 195
Loudon field: test of surfactant flooding, (Tech. Paper) JPT July, 793
Imagery: remote sensing techniques: detecting oil slicks, (Tech. Paper) JPT Mar., 267
Immiscible displacement: Hele-Shaw model studies: trapping type for miscible-immiscible studies, (Forum) SPEJ Oct., 255
Imperial Valley: *See* California
Imports: economic cost: crude oil, (Tech. Paper) JPT June, 643; discussion, 657
In-situ combustion: *See* Thermal recovery of oil
Indefatigable gas field: *See* North Sea
Indonesia: Cinta field: exploration and development of a new petroleum province in Java Sea, (Tech. Paper) JPT Apr., 395
Inertial effects: steady-state radial gas flow through porous media, (Forum) JPT Oct., 1155
Information gap: bridging: between operations and engineering, (Tech. Paper) JPT Apr., 411
Inhibitors: chemical squeeze process: some new information on some old misconceptions, JPT Mar., 339
Injection: *See also* Gas injection, Miscible displacement, Thermal recovery of oil, and Waterflooding
cyclic: rich gas into producing wells to increase rates from viscous-oil reservoirs, (Tech. Paper) JPT Aug., 890
gas and water: advanced technology improves recovery; Fairway field, Texas, (Tech. Paper) JPT Mar., 354
miscible-immiscible flooding: trapping Hele-Shaw model studies, (Forum) SPEJ Oct., 255
phases: field test of aqueous surfactant system for oil recovery, Benton field, Illinois, JPT Feb., 195
raw helium: computing movement in Bush Dome reservoir, Texas, (Tech. Paper) JPT Jan., 16
steam: recovery of oil in Smackover field, Arkansas, (Tech. Paper) JPT Aug., 883
Slocum thermal recovery project, operation and performance, (Tech. Paper) JPT Apr., 402
Injection wells: testing: wellbore effects, (Tech. Paper) JPT Nov., 1244
thief zone: how to diagnose, (Forum) JPT July, 839
Integral equations: use in numerical solution of complex reservoir engineering problems, (Tech. Paper) SPEJ Dec., 321
Interfacial tension: factor affecting liquid-liquid relative permeabilities: consolidated porous medium, (Tech. Paper) SPEJ Feb., 39
normal heptane, (Forum) JPT May, 543
Interference: tests: delineating a subsurface fracture system in a petroleum reservoir, (Tech. Paper) JPT May, 531
significant contributions in well testing, (Tech. Paper) JPT Dec., 1432
Interpretation: aerial photography: application to study of reservoir natural fracture systems, (Tech. Paper) JPT Jan., 37
noise from flow behind cemented casing, JPT Mar., 329
pulse-test methods: application in Oman, (Tech. Paper) JPT Sept., 1025
Investment: *See* Financing
Iteration: line successive overrelaxation: method for improving in anisotropic problems, SPEJ Apr., 105

J

Java Sea: Indonesia: exploration and development of new petroleum province, (Tech. Paper) JPT Apr., 395
Jay field: *See* Florida

K

Kansas: water production control: use of polymers in oil wells, (Tech. Paper) JPT Feb., 143
Kelly-Snyder field: *See* Texas
Kentucky: Big Sinking field: crossflooding to improve waterflood efficiency, (Tech. Paper) JPT Sept., 1021

L

Laboratory studies: aqueous surfactant systems for oil recovery, JPT Feb., 186
buried pipes: friction and bearing loads, (Tech. Paper) SPEJ June, 163
cements: expansive and shrinkage characteristics under actual well conditions, (Tech. Paper) JPT Aug., 905
chemical squeeze process: some new information on some old misconceptions, JPT Mar., 339
chip removal force under a full-sized jet bit, SPEJ Aug., 233
displacement in dolomite: with wettability control by octanoic acid, SPEJ Aug., 221
fracture proppants: conductivity in multiple layers, JPT Sept., 1101
high-pressure drilling, JPT July, 851
hydraulic fractures: inclined, (Tech. Paper) SPEJ Apr., 61
hydraulic fracturing: through perforations, JPT Oct., 1201
liquid-liquid relative permeabilities: factors affecting in consolidated porous medium, (Tech. Paper) SPEJ Feb., 39
metal thickness and temperature: effects on casing and tubing design for deep, sour wells, JPT Apr., 499
micellar flooding: salinity effects, (Forum) JPT Aug., 957
mud displacement with cement slurries, (Tech. Paper) JPT July, 775
normal heptane: interfacial tension, (Forum) JPT May, 543
oil-in-water emulsions: flow properties in porous media, (Tech. Paper) JPT June, 727
oil recovery: surface film drainage in mixed-wettability rocks, JPT Oct., 1216

petroleum sulfonate composition-efficacy: tertiary surfactant flooding, (Tech. Paper) SPEJ Aug., 191
polymer retention: dependence on flow rate, (Forum) JPT Nov., 1307
polymer solutions: reservoir stability, JPT May, 618
pore-volume compressibility: consolidated, friable, and unconsolidated reservoir rocks under hydrostatic loading, (Tech. Paper) JPT Feb., 129
residual oil saturation: after waterflood, JPT Feb., 175
retrograde condensation: porous media, SPEJ Apr., 93
rich-gas drives: multicell equilibrium separation model for study of multiple contact miscibility, SPEJ June, 147
stabilizing sensitive shales: with inhibited, potassium-based drilling fluids, JPT Sept., 1089
steam zone development: effect of pressure and rate in steamflooding SPEJ Oct., 274
suction breaker and scouring: bottom-sitting offshore structures, (Tech. Paper) JPT Mar., 279
synthetic permafrost: mechanical behavior, SPEJ Aug., 211
thermal conductivities: predicting for formations from other known properties, (Tech. Paper) SPEJ Oct., 267
two-phase flow: inclined pipes, JPT May, 607
water equilibrium: dehydration of natural gas with triethylene glycols, SPEJ Oct., 297
waterflood data: use of reservoir simulator to interpret, (Tech. Paper) SPEJ Dec., 343
wet combustion: combustion front velocity, (Tech. Paper) JPT Oct., 1137
Leaks: behind cemented casing: structure and interpretation of noise, JPT Mar., 329
Leasing practices: profitability analysis, (Tech. Paper) JPT Mar., 319
Leman gas field: *See* North Sea
Leveraged transactions: profitability analysis (Tech. Paper) JPT Mar., 319
Limited-entry technique: staged fracturing treatment: multisand intervals, (Tech. Paper) JPT Aug., 897
Line successive overrelaxation: anisotropic problems: theoretical analysis of method for improving, SPEJ Apr., 105
Log interpretation: *See* Interpretation
Logging: *See* Well logging
Loma Novia field: *See* Texas
Los Angeles Basin field: *See* California
Lost circulation: geothermal drilling: California, (Tech. paper) JPT Sept., 1033
Loudon field: *See* Illinois
Louisiana: offshore: methods for determining residual oil with pulsed neutron capture log, JPT May, 593

M

Maintenance: preventive: training for operators of large-scale computer production control project, (Tech. Paper) JPT Jan., 31
Management: a review (Tech. Paper) JPT Dec., 1342
Material balance: calculations: use of integral equations in numerical solution of complex reservoir engineering problems, (Tech. Paper) SPEJ Dec., 321
gas reservoir: bottom-water drive, (Tech. Paper) SPEJ Dec., 328
Mathematical modeling: *See* Models: mathematical
Matrix: elementary block determination: fissured reservoir; Eschau field, France, (Tech. Paper) JPT May, 523
Measurement: residual oil saturation: single-well tracer method, JPT Feb., 211
sea-ice thickness: development of a penetrometer, (Tech. Paper) JPT Mar., 249
Mechanical properties: synthetic permafrost, SPEJ Aug., 211
Metal: thickness: effects on casing and tubing design for deep, sour wells, JPT Apr., 499
Micellar solutions: most profitable slug size: comments on findings, (Forum) JPT Jan., 77; discussion, 78
salinity effects of flooding, (Forum) JPT Aug., 957
Microscopic observations: polyacrylamide structures, (Forum) JPT Jan., 80; discussion, JPT May, 544
Midway-Sunset field: *See* California
Minicomputers: wellsite diagnosis of pumping problems, (Tech. Paper) JPT Nov., 1319
Miscible displacement: CO_2 flood project: evaluations and design; SACROC unit, Kelly-Snyder field, JPT Nov., 1309
Fairway field, Texas: advanced technology improves recovery, (Tech. Paper) JPT Mar., 354
Hele-Shaw model studies: trapping type for miscible-immiscible flooding, (Forum) SPEJ Oct., 255
multicomponent compressible stable flow: numerical solution with second-order accuracy, (Tech. Paper) SPEJ Apr., 84
multiple contacts in rich-gas drives: study using multicell equilibrium separation model, SPEJ June, 147
technical publications: role in advancement of fluid injection processes, (Tech. Paper) JPT Dec., 1361
Mississippi: South State Line field: geopressures in deep Smackover, JPT Aug., 971
Thomasville field: geopressures in deep Smackover, JPT Aug., 971
Mobility: retention: polymers; dependence on flow rate, (Forum) JPT Nov., 1307
Mobility ratios: favorable: failure of steam-tube methods to predict waterflood performance; isolated inverted five-spot, (Forum) JPT Feb., 151
Models: areal: modeling of three-dimensional reservoir with two-dimensional reservoir simulator; use of dynamic pseudo functions, (Tech. Paper) SPEJ June, 175
chemical squeeze: some new information on some old misconceptions, JPT Mar., 339
compositional radial reservoir: single-well performance predictions for gas condensate reservoirs, JPT July, 860
coning: reservoir evaluation, Bierwang field, West Germany, (Tech. Paper) JPT Jan., 23
Hele-Shaw: trapping type for miscible-immiscible flooding studies, (Forum) SPEJ Oct., 255
mathematical: acidizing process; analysis in acid fracturing, SPEJ Aug., 239
advanced technology improves recovery at Fairway field, Texas, (Tech. Paper) JPT Mar., 354
application of variational principles to cap and base rock heat losses, SPEJ Aug., 200
approach for optimizing waterflood performance, Slaughter field chickenwire pattern, (Tech. Paper) JPT July, 757
cyclic injection of rich gas into producing wells to increase rates from viscous-oil reservoirs, (Tech. Paper) JPT Aug., 890
multiphase flow around a well, (Tech. Paper) SPEJ Dec., 311
pressure transient tests in formations having stress-sensitive permeability, JPT Aug., 965
reservoir simulation by Galerkin method, (Tech. Paper) SPEJ June, 125
shale compaction, SPEJ Feb., 12
single-well tracer method to measure residual oil saturation, JPT Feb., 211
stabilizer placement; some technical and economic aspects, (Tech. Paper) JPT June, 663
temperature distribution in circulating mud columns, (Tech. Paper) SPEJ Feb., 23
multicell equilibrium separation: study of multiple contact miscibility in rich-gas drives, SPEJ June, 147
r-z: use to study effect of completion technique on gas well deliverability, (Tech. Paper) SPEJ Oct., 259
radial flow: study of effect of pressure and rate on steam zone development in steamflooding, SPEJ Oct., 274
scaled: quarter century of progress in application of reservoir engineering, (Tech. Paper) JPT Dec., 1371
statistical: ocean wave groups, SPEJ June, 139
suction-breaker and scouring: study of bottom-sitting offshore structures, (Tech. Paper) JPT Mar., 279
test program: detuning tank as an effective stabilizing device, (Tech. Paper) SPEJ Feb., 48
tests: vessel for offshore construction in heavy seas, (Tech. Paper) JPT Apr., 387
two radial-flow regimes: diagnosing a thief zone, (Forum) JPT July, 839
well performance: optimization of gas field operations, (Tech. Paper) JPT Apr., 419
Mooring: lines: forces; statistics of ocean wave groups, SPEJ June, 139
Mud properties: displacement: with cement slurries, (Tech. Paper) JPT July, 775
Muddy Sandstone field: *See* Colorado

N

Natural gas: *See also* Gases
dehydration: with triethylene glycol; water equilibrium in, SPEJ Oct., 297
development and production: overview; 25 years of professional contribution, (Tech. Paper) JPT Dec., 1337
sales contracts: comparison of North Sea with U. S. contracts, (Tech. Paper) JPT Oct., 1130
Netherlands: Groningen gas reservoir: land subsidence above, JPT June, 734
Neutron logging: pulsed neutron capture logs: methods for determining residual oil, JPT May, 593
Noise: from flow behind cemented casing: structure and interpretation, JPT Mar., 329
North Sea: gas sales contracts: comparison with U. S. contracts, (Tech. Paper) JPT Oct., 1130
Indefatigable gas field: platforms, (Forum) JPT Sept., 1046
Leman gas field: platforms, (Forum) JPT Sept., 1046
pressure prediction with flowline temperature gradients, (Tech. Paper) JPT Feb., 135
oil spill contingency planning, (Forum) JPT Oct., 1153
Norway: plan: for oil spills in the North Sea, (Forum) JPT Oct., 1153
Nozzle size: full-size jet bit: study of chip removal force under, SPEJ Aug., 233
Nuclear explosions: buried pipes: friction and bearing loads, (Tech. Paper) SPEJ June, 163
Numerical solutions: acidizing process: analysis in acid fracturing, SPEJ Aug., 239
completion technique: use of *r-z* model to study effect on gas well deliverability, (Tech. Paper) SPEJ Oct., 259
complex reservoir engineering problems: use of integral equations, (Tech. Paper) SPEJ Dec., 321
convergence rate of line successive overrelaxation: method for improving in anisotropic problems, SPEJ Apr., 105
design: of X-bracing; use in fixed offshore platforms, (Tech. Paper) SPEJ Apr., 75
vertical hydraulic fractures, JPT Jan., 83; discussion, 93
directional survey: circular arc method, SPEJ Feb., 5
fracture pressure gradients: determining from well logs, (Tech. Paper) JPT Nov., 1259
heat losses of cap and base rock: application of variational principles, SPEJ Aug., 200
hydraulic fractures: inclined, (Tech. Paper) SPEJ Apr., 61
inertial and slip effects: steady-state radial gas flow through porous media, (Forum) JPT Oct., 1155
laboratory waterflood data: use of reservoir simulator to interpret, (Tech. Paper) SPEJ Dec., 343
lateral load capacity of piles: offshore structures, JPT Apr., 487
material balance: bottom-water-drive gas reservoir, (Tech. Paper) SPEJ Dec., 328
miscible flow: multicomponent compressible stable type with second-order accuracy, (Tech. Paper) SPEJ Apr., 84
modeling of three-dimensional reservoir: use of dynamic pseudo function in two-dimensional reservoir simulator, (Tech. Paper) SPEJ June, 175
motion stabilizing device: detuning tank, (Tech. Paper) SPEJ Feb., 48
multiphase flow: around a well, (Tech. Paper) SPEJ Dec., 311
nonlinear equations: transient flow of gases in porous media, SPEJ Dec., 348
optimization of gas field operations, (Tech. Paper) JPT Apr., 419
permeability; uniformly vuggy porous medium, (Tech. Paper) SPEJ Apr., 69
reservoir simulation: Galerkin method, (Tech. Paper) SPEJ June, 125
review (Tech. Paper) JPT Dec., 1342
shale compaction, SPEJ Feb., 12
single-well performance predictions: gas condensate reservoirs, JPT July, 860
source and Green's functions: use in solving unsteady-flow problems in reservoirs, SPEJ Oct., 285
stabilizer placement: some technical and economic aspects, (Tech. Paper) JPT June, 663
statistical parameters: ocean wave groups, SPEJ June, 139
storm-generated coastal currents: significance of time-dependent transports, (Tech. Paper) SPEJ June, 156
two-phase flow: inclined pipes, JPT May, 607
volume estimation: from late transient pressure data; reservoir with spatially varying properties, (Tech. Paper) SPEJ Dec., 335
wave probabilities: long-term estimates based on hindcasting of severe storms, JPT Apr., 473
well pressure: simple method for determining in close rectangular reservoirs, (Forum) JPT Nov., 1305

O

Octanoic acid: wettability control with: displacement studies in dolomite, SPEJ Aug., 221
Offshore: construction: vessel for heavy seas, (Tech. Paper) JPT Apr., 387
environment: review of 25 years of progress, (Tech. Paper) JPT Dec., 1355
Indonesia: exploration and development of new petroleum province in Java Sea, (Tech. Paper) JPT Apr., 395
management and economics: a review, (Tech. Paper) JPT Dec., 1342
North Sea: oil spill contingency planning, (Forum) JPT Oct., 1153
platforms: use of X-bracing in fixed structures, (Tech. Paper) SPEJ Apr., 75
structures; bottom-sitting: study of suction and scouring, (Tech. Paper) JPT Mar., 279
coping with nature, (Tech. Paper) JPT Mar., 257
lateral load capacity of piles, JPT Apr., 487
planning and design of fixed berthing for 300,000- to 500,000-DWT tankers, (Tech. Paper) JPT July, 764
Offshore drilling: fracture gradients, (Tech. Paper) JPT Aug., 910
North Sea: platforms in Southern part, (Forum) JPT Sept., 1046
wire ropes: for anchoring semisubmersibles, (Tech. Paper) JPT June, 659
Offshore operations: long-term wave probabilities based on hindcasting of severe storms, JPT Apr., 473
motion stabilizing device: detuning tank, (Tech. Paper) SPEJ Feb., 48
statistics: ocean wave groups, SPEJ June, 139
storm-generated coastal currents: significance of time-dependent transports, SPEJ June, 156
Oil: policy and prices: impact of Tehran-Tripoli agreements on U. S., (Tech. Paper) JPT Nov., 1255
reservoir: dimensionless PVT behavior of Gulf Coast types, (Tech. Paper) JPT May, 539
tracing as pollutant in water, (Tech. Paper) JPT Mar., 243
Oil fields: *See also* names of specific fields
waste waters: clarifying by gas flotation, (Tech. Paper) JPT Apr., 426
Oil recovery: aqueous surfactant systems, JPT Feb., 186 and 195
by surface film drainage: mixed-wettability rocks, JPT Oct., 1216
Fairway field, Texas: advanced technology improves recovery, (Tech. Paper) JPT Mar., 354
fluid injection process: role of technical publications in advancement, (Tech. Paper) JPT Dec., 1361
micellar flooding: salinity effects, (Forum) JPT Aug., 957
slug process: comments on finding most profitable slug size, (Forum) JPT Jan., 77; discussion, 78
soluble-oil flooding: field test, Higgs unit, Texas, (Tech. Paper) JPT Jan., 9
tertiary: correlated with pore structure of sandstones, (Forum) SPEJ Oct., 256
surfactant flooding; petroleum sulfonate composition-efficacy studies, (Tech. Paper) SPEJ Aug., 191
waterflood: failure of stream tube methods to predict performance; isolated inverted five-spot at favorable mobility ratios, (Forum) JPT Feb., 151
Oil reservoirs: compaction: land subsidence above, JPT June, 734
crude-oil-in-water emulsions: to improve fluid flow, (Tech. Paper) JPT June, 721

integral equation: use in numerical solution of complex reservoir engineering problems, (Tech. Paper) SPEJ Dec., 321
Oil saturation: residual: after waterflood; laboratory tests, JPT Feb., 175
determination behind a waterflood, (Tech. Paper) JPT Nov., 1237
measuring by single-well tracer method, JPT Feb., 211
methods for determining with pulsed neutron capture logs, JPT May, 593
use of special coring and logging procedures for defining for reservoir, JPT July, 841
Oil slicks: sensing techniques: detecting remotely, (Tech. Paper) JPT Mar., 267
Oil spills: behavior of components on their way through the soil, (Forum) JPT Sept., 1045
North Sea: contingency planning, (Forum) JPT Oct., 1153
Oil wells: gas-lifted and flowing heavy oil: calculating steam-stimulated performance, JPT Oct., 1207
water production control: use of polymers, (Tech. Paper) JPT Feb., 143
Oman: Fahud oil field: application of pulse-test method, (Tech. Paper) JPT Sept., 1025
Yibal oil field: application of pulse-test method, (Tech. Paper) JPT Sept., 1025
OPEC: Tehran-Tripoli agreements: impact on U. S. oil policy and prices, (Tech. Paper) JPT Nov., 1255
Optimization: drilling hydraulics: study of chip removal force under a full-sized jet bit, SPEJ Aug., 233
gas field operations, (Tech. Paper) JPT Apr., 419
pumping wells: using minicomputers for wellsite diagnosis of problems, (Tech. Paper) JPT Nov., 1319
Optimizing techniques: waterflood performance: modeling approach for Slaughter field chickenwire pattern, (Tech. Paper) JPT July, 757
Overburden: gradient: offshore, (Tech. Paper) JPT Aug., 910

P

Pacific coast: pressure prediction with flowline temperature gradients, (Tech. Paper) JPT Feb., 135
Paraffin: control: quarter century of production practices, (Tech. Paper) JPT Dec., 1425
Pendent-drop technique: interfacial tension: normal heptane, (Forum) JPT May, 543
Penetrometer: sea-ice: development, (Tech. Paper) JPT Mar., 249
Pennsylvania: petroleum reservoir: delineating a subsurface fracture system; an experiment, (Tech. Paper) JPT May, 531
Perforating: well completions and stimulation advances: during JPT's first quarter century, (Tech. Paper) JPT Dec., 1447
Perforations: hydraulic fracturing: experimental investigation, JPT Oct., 1201
Performance predictions: calculations: steam-stimulated gas-lifted and flowing heavy-oil wells, JPT Oct., 1207
SACROC unit: Kelly-Snyder field; CO_2 miscible flood project, JPT Nov., 1309
Single-well: gas condensate reservoirs, JPT July, 860
waterflooding: failure of stream-tube methods; isolated inverted five-spot at favorable mobility ratios, (Forum) JPT Feb., 151
Permafrost: synthetic: mechanical behavior, SPEJ Aug., 211
Permeability: fracture proppants: multiple layers, JPT Sept., 1101
low: gas-bearing formations; evaluation in Rio Blanco County, Colorado, (Tech. Paper) JPT Oct., 1125
porous medium: uniformly vuggy, (Tech. Paper) SPEJ Apr., 69
relative: factors affecting liquid-liquid type in consolidated porous medium, (Tech. Paper) SPEJ Feb., 39
use of dynamic pseudo functions; modeling of three-dimensional reservoir with two-dimensional reservoir simulator, (Tech. Paper) SPEJ June, 175
use of reservoir simulator to interpret laboratory waterflood data, (Tech. Paper) SPEJ Dec., 343
shale, SPEJ Feb., 12
stratified: comments on finding the most profitable slug size, (Forum) JPT Jan., 77; discussion, 78
stress-sensitive: pressure transient tests in formation, JPT Aug., 965
vertical: application of pulse-test methods in Oman, (Tech. Paper) JPT Sept., 1025
Persian Gulf: Tehran-Tripoli agreements: impact on U. S. oil policy and prices, (Tech. Paper) JPT Nov., 1255
Petroleum: *See* Oil
Petroleum economics: *See* Economics
Petroleum engineering: drilling technology: review of significant accomplishments over last 25 years, (Tech. Paper) JPT Dec., 1347
Petrophysics: formation evaluation: significant contributions, (Tech. Paper) JPT Dec., 1432
Phase behavior: retrograde condensation: porous media, SPEJ Apr., 93
rich-gas drives: multicell equilibrium separation model for study of multiple contact miscibility, SPEJ June, 147
Photography: aerial: application of interpretation to study of reservoir natural fracture systems, (Tech. Paper) JPT Jan., 37
microscopic observations: polyacrylamide structures, (Forum) JPT Jan., 80; discussion, JPT May, 544
remote sensing techniques: detecting oil slicks, (Tech. Paper) JPT Mar., 267
Piles: lateral load capacity in offshore structures, JPT Apr., 487
Pilings: offshore environment: review of 25 years of progress, (Tech. Paper) JPT Dec., 1355
Pilot study: Benton, field, Illinois: aqueous surfactant system for oil recovery, JPT Feb., 195
crossflooding to improve waterflood efficiency: Big Sinking field, Kentucky, (Tech. Paper) JPT Sept., 1021
Higgs unit, Texas: field test of soluble-oil flooding, (Tech. Paper) JPT Jan., 9
Slocum thermal recovery project: operation and performance, (Tech. Paper) JPT Apr., 402
Smackover field, Arkansas: recovery of oil by steam injection, (Tech. Paper) JPT Aug., 883
surfactant flooding: Loudon, Illinois, (Tech. Paper) JPT July, 793
Pipes: buried: friction and bearing loads, (Tech. Paper) SPEJ June, 163
inclined: study of two-phase flow, JPT May, 607
Platforms: offshore: coping with nature, (Tech. Paper) JPT Mar., 257
use of X-bracing in fixed structures, (Tech. Paper) SPEJ Apr., 75
southern North Sea, (Forum) JPT Sept., 1046
Plugging agents: oil-in-water emulsions: flow properties in porous media, (Tech. Paper) JPT June, 727
Pollutants: oil in water: tracing, (Tech. Paper) JPT Mar., 243
Pollution: oilfield and refinery waste waters: clarifying by gas flotation, (Tech. Paper) JPT Apr., 426
Polyacrylamide: polymer retention: dependence on flow rate, (Forum) JPT Nov., 1307
structures: microscopic observations, (Forum) JPT Jan., 80; discussion, JPT May, 544
Polymers: hydroxy-aluminum: field results from wells treated with, (Tech. Paper) JPT Sept., 1108
injection study: low-tension waterflooding process, JPT Feb., 205
oil recovery: aqueous surfactant systems, JPT Feb., 186
polyacrylamide solutions: microscopic observations, (Forum) JPT Jan., 80; discussion, JPT May, 544
retention: dependence on flow rate, (Forum) JPT Nov., 1307
solutions: reservoir stability of, JPT May, 618
use: control water production in oil wells, (Tech. Paper) JPT Feb., 143
Polysaccharide: polymer retention: dependence on flow rate, (Forum) JPT Nov., 1307
Pore structure: sandstones: correlated with tertiary oil recovery, (Forum) SPEJ Oct., 256
Pore volume: compressibility: consolidated, friable, and unconsolidated reservoir rocks under hydrostatic loading, (Tech. Paper) JPT Feb., 129
estimation: from late transient pressure data; reservoirs with spatially varying properties, (Tech. Paper) SPEJ Dec., 335
Porosity: pore-volume compressibility correlations: consolidated, friable, and unconsolidated reservoir

rocks under hydrostatic loading, (Tech. Paper) JPT Feb., 129
secondary: deep Smackover of Mississippi; geopressures, JPT Aug., 971
shale, SPEJ Feb., 12
Porous media: *See also* Reservoir rocks
consolidated: factors affecting liquid-liquid relative permeabilities, (Tech. Paper) SPEJ Feb., 39
gases: transient flow; solution of nonlinear equations, SPEJ Dec., 348
inertial and slip effects: steady-state radial gas flow through porous media, (Forum) JPT Oct., 1155
oil-in-water emulsions and their flow properties, (Tech. Paper) JPT June, 727
permeability: uniformly vuggy, (Tech. Paper) SPEJ Apr., 69
retrograde condensation, SPEJ Apr., 93
Pressure behavior: actual well conditions: expansion and shrinkage characteristics of cements, (Tech. Paper) JPT Aug., 905
closed rectangular reservoirs: simple method for determining, (Forum) JPT Nov., 1305
effect on thermal conductivity: predicting for rock formations, (Tech. Paper) SPEJ Oct., 267
geopressures: deep Smackover of Mississippi, JPT Aug., 971
in pores: potential hazards of acoustic-log shale pressure plots, (Tech Paper) JPT Sept., 1039
inclined pipes: study of two-phase flow, JPT May, 607
prediction with flowline temperature gradients, (Tech. Paper) JPT Feb., 135
steamflooding: effect on steam zone development, SPEJ Oct., 274
Pressure buildup: injection well testing: wellbore effects, (Tech. Paper) JPT Nov., 1244
tests: formations having stress-sensitive permeability, JPT Aug., 965
significant contributions in well testing, (Tech. Paper) JPT Dec., 1432
Pressure gradients: fracture: determining from well logs, (Tech. Paper) JPT Nov., 1259
Pressure maintenance: *See also* Gas injection, Miscible displacement, and Waterflooding
Coalinga Nose field, California, (Tech. Paper) JPT Oct., 1147
Pressure transients: analysis: reservoirs with spatially varying properties, (Tech. Paper) SPEJ Dec., 335
tests: in formations having stress-sensitive permeability, JPT Aug., 965
Probability: wave: long-term estimates based on hindcasting of severe storms, JPT Apr., 473
Processing: diplog: automatic correlation system using computer, (Tech. Paper) SPEJ Feb., 31
field: quarter century of production practices, (Tech. Paper) JPT Dec., 1425
Production: crude oil: economic cost of U. S., (Tech. Paper) JPT June, 643; discussion, 657
information system: bridging gap between operations and engineering, (Tech. Paper) JPT Apr., 411
overview: 25 years of professional contribution, (Tech. Paper) JPT Dec., 1337
practices: quarter century of progress, (Tech. Paper) JPT Dec., 1425
rates: increasing from viscous-oil reservoirs by cyclic injection of rich gas, (Tech. Paper) JPT Aug., 890
Production logging: quarter century of production practices, (Tech. Paper) JPT Dec., 1425
Production operations: *See also* the specific operation
computer production control project: support programs, (Tech. Paper) JPT Jan., 31
pumping problems: wellsite diagnosis using minicomputers, (Tech. Paper) JPT Nov., 1319
Profitability: analysis: leveraged transactions, (Tech. Paper) JPT Mar., 319
Propping agents: fracture proppants: conductivity in multiple layers, JPT Sept., 1101
high concentrations: successful use in stimulation of deep wells, (Tech. Paper) JPT Aug., 959
Publications: technical: role in advancement of fluid injection processes for oil recovery, (Tech. Paper) JPT Dec., 1361
Pulse testing: methods: application in Oman, (Tech. Paper) JPT Sept., 1025
Pumping wells: problems: wellsite diagnosis using minicomputers, (Tech. Paper) JPT Nov., 1319
PVT behavior: dimensionless: Gulf Coast reservoir oils, (Tech. Paper) JPT May, 539
porous media: retrograde condensation, SPEJ Apr., 93

R

Radiometry: remote sensing techniques: detecting oil slicks, (Tech. Paper) JPT Mar., 267
Recovery methods: *See also* Oil recovery, Secondary recovery, and Thermal recovery of oil
in-situ combustion: case histories of three projects, (Tech. Paper) JPT July, 784
oil by steam injection: Smackover field, Arkansas, (Tech. Paper) JPT Aug., 883
tertiary surfactant flooding: petroleum sulfonate composition-efficacy studies, (Tech. Paper) SPEJ Aug., 191
waterflooding: factors affecting liquid-liquid relative permeabilities of consolidated porous medium, (Tech. Paper) SPEJ Feb., 39
Relative permeability: *See* Permeability: relative
Remote sensing: techniques for detecting oil slicks, (Tech. Paper) JPT Mar., 267
Reserves: North Sea: comparison of gas sales contracts with U. S. contracts, (Tech. Paper) JPT Oct., 1130
Reservoir analysis: *See also* Performance predictions
application: quarter century of progress, (Tech. Paper) JPT Dec., 1371
transient flow of gases in porous media: solution of nonlinear equations, SPEJ Dec., 348
unsteady-flow problems: use of source and Green's functions to solve, SPEJ Oct., 285
Reservoir characteristics: East Coalinga field, California: gas injection with radioactive tracer to determine reservoir continuity, (Tech. Paper) JPT Nov., 1251
natural fracture systems: application of aerial photographic interpretation, (Tech. Paper) JPT Jan., 37
Reservoir engineering: *See* Reservoir mechanics
Reservoir fluids: Gulf Coast oils: dimensionless PVT behavior, (Tech. Paper) JPT May, 538
Reservoir limit test: volume estimation: from late transient pressure data; reservoirs with spatially varying properties, (Tech. Paper) SPEJ Dec., 335
Reservoir mechanics: integral equations: use in numerical solution of complex problems, (Tech. Paper) SPEJ Dec., 321
Reservoir pressure: *See* Pressure behavior
Reservoir rocks: *See also* Porous media
consolidated, friable, and unconsolidated: pore-volume compressibility under hydrostatic loading, (Tech. Paper) JPT Feb., 129
heat losses of cap and base rock: application of variational principles, SPEJ Aug., 200
mixed-wettability: oil recovery by surface film drainage, JPT Oct., 1216
shale compaction, SPEJ Feb., 12
Reservoir simulation: *See also* Models
by Galerkin method, (Tech. Paper) SPEJ June, 125
deliverability study: Bierwang field, West Germany, (Tech. Paper) JPT Jan., 23
heat losses of cap and base rock: application of variational principles, SPEJ Aug., 200
spatially varying properties: estimation of volume from late transient pressure data, (Tech. Paper) SPEJ Dec., 335
use of simulator to interpret laboratory waterflood data, (Tech. Paper) SPEJ Dec., 343
Reservoir stimulation: cyclic injection of rich gas: into producing wells to increase rates from viscous-oil reservoirs, (Tech. Paper) JPT Aug., 980
fracturing: staged treatment for multisand intervals, (Tech. Paper) JPT Aug., 897
low-permeability gas-bearing formations: evaluation in Rio Blanco County, Colorado, (Tech. Paper) JPT Oct., 1125
steam injection: recovery of oil in Smackover field, Arkansas, (Tech. Paper) JPT Aug., 883
Reservoirs: *See also* type, such as Bottom-water drive, Gravity drainage, Water drive, and specfic names names

fissured: determining the elementary matrix block, Eschau field, France, (Tech. Paper) JPT May, 523
gas-condensate: single-well performance predictions, JPT July, 860
high temperature: successful stimulation of deep wells using high proppant concentrations, (Tech. Paper) JPT Aug., 959
petroleum: delineating a subsurface fracture system; an experiment, (Tech. Paper) JPT May, 531
rectangular: simple method for determining well pressure in closed system, (Forum) JPT Nov., 1305
simulator; two-dimensional: modeling a three-dimensional reservoir with use of dynamic pseudo functions, (Tech. Paper) SPEJ June, 175
stability: polymer solutions, JPT May, 618
Residual oil: determination: methods using pulsed neutron capture logs, JPT May, 593
Retrograde condensation: porous media, SPEJ Apr., 93
Rio Blanco unit: *See* Colorado
Rock mechanics: compactions: land subsidence above oil and gas reservoirs, JPT June, 734
design: vertical hydraulic fractures, JPT Jan., 83; discussion, 93
drilling technology: review of significant accomplishments over last 25 years, (Tech. Paper) JPT Dec., 1347
high-pressure drilling, JPT July, 851
hydraulic fractures: study of those inclined, (Tech. Paper) SPEJ Apr., 61
hydraulic fracturing through perforations: experimental investigation, JPT Oct., 1201
Rock properties: thermal conductivities: predicting from other known properties, (Tech. Paper) SPEJ Oct., 267
Rocks: *See* Reservoir rocks
Russia: article shows drag reduction does not always increase with increased flow velocity, (Forum) JPT June, 673

S

SACROC unit: Kelly-Snyder field, Texas: evaluations and design of a CO_2 miscible flood project, JPT Nov., 1309
Salt content: effects on micellar flooding, (Forum) JPT Aug., 957
San Andres field: *See* Texas
Sand: migration: field results from wells treated with hydroxy-aluminum, (Tech. Paper) JPT Sept., 1108
multiple intervals: staged fracturing treatment, (Tech. Paper) JPT Aug., 897
Sand control: well completions and stimulation advances: during JPT's first quarter century, (Tech. Paper) JPT Dec., 1447
Sandstones: pore structure: correlated with tertiary oil recovery, (Forum) SPEJ Oct., 256
Santa Barbara Channel field: *See* California
Scale: control: quarter century of production practices, (Tech. Paper) JPT Dec., 1425
Scaling: Hele-Shaw model: trapping type for miscible-immiscible flooding studies, (Forum) SPEJ Oct., 255
steamflooding: effect of pressure and rate on steam zone development, SPEJ Oct., 274
Scouring: offshore structures: study of bottom-sitting type, (Tech. Paper) JPT Mar., 279
Secondary recovery: *See* Gas injection, Miscible displacement, Thermal recovery of oil, and Waterflooding
management and economics: a review, (Tech. Paper) JPT Dec., 1342
steamflooding: effect of pressure and rate on steam zone development, SPEJ Oct., 274
Semisubmersibles: wire ropes for anchoring, (Tech. Paper) JPT June, 659
Separation: equilibrium: multicell model for study of multiple contact miscibility in rich-gas drives, SPEJ June, 147
Shales: acoustic transit time vs depth plot: potential hazards in interpretation, (Tech. Paper) JPT Sept., 1039
compaction, SPEJ Feb., 12
sensitive: stabilizing with inhibited, potassium-based drilling fluids, JPT Sept., 1089
Shrinkage: cements: characteristics under actual well conditions, (Tech. Paper) JPT Aug., 905
Simulation: anisotropic problems: method for improving line successive overrelaxation; theoretical analysis, SPEJ Apr., 105
completion technique: use of *r-z* model to study effect on gas well deliverability, (Tech. Paper) SPEJ Oct., 259
gas-condensate reservoir: single-well performance predictions, JPT July, 860
miscible flow: multicomponent compressible stable type; numerical solution with second-order accuracy, (Tech. Paper) SPEJ Apr., 84
numerical: model of multiphase flow around a well, (Tech. Paper) SPEJ Dec., 311
reservoir engineering: quarter century of progress in application, (Tech. Paper) JPT Dec., 1371
waterflood performance: chickenwire pattern modeling approach for optimizing in Slaughter field, (Tech. Paper) JPT July, 757
Skin effect: two-rate flow tests: estimating errors when analyzing, (Forum) JPT May, 545
Slaughter field: *See* Texas
Slip effects: steady-state radial gas flow through porous media, (Forum) JPT Oct., 1155
Slocum field: *See* Texas
Slug process: *See also* Miscible displacement
most profitable slug size: comments on finding, (Forum) JPT Jan., 77; discussion, 78
Slurries: cement: used in mud displacement, (Tech. Paper) JPT July, 775
Smackover field: *See* Arkansas
Soil: spilled oil: behavior of components on their way through the ground, (Forum) JPT Sept., 1045
Soil mechanics: buried pipes: friction and bearing loads, (Tech. Paper) SPEJ June, 163
Soluble oils: flooding process: field test of Higgs unit, Texas, (Tech. Paper) JPT Jan., 9
Sour wells: deep: effects of metal thickness and temperature on casing and tubing design, JPT Apr., 499
Source functions: use in solving unsteady-state flow problems in reservoirs, SPEJ Oct., 285
South China Sea: pressure prediction with flowline temperature gradients, (Tech. Paper) JPT Feb., 135,
South State Line field: *See* Mississippi
SPE: professional contribution: to petroleum development and production; overview of last 25 years, (Tech. Paper) JPT Dec., 1337
Spectrometer: remote sensing techniques: detecting oil slicks, (Tech. Paper) JPT Mar., 267
Stability: platforms: use of X-bracing in fixed offshore structures, (Tech. Paper) SPEJ Apr., 75
reservoir: polymer solutions, JPT May, 618
Stabilization mechanism: detuning tank, (Tech. Paper) SPEJ Feb., 48
sensitive shales: stabilizing with inhibited, potassium-based drilling fluids, JPT Sept., 1089
stabilizer placement: some technical and economic aspects, (Tech. Paper) JPT June, 663
Statistics: fissured reservoir: determining the elementary matrix block; Eschau field, France, (Tech. Paper) JPT May, 523
ocean wave groups, SPEJ June, 139
wave-crest: long-term probabilities based on hindcasting of severe storms, JPT Apr., 473
Steam injection: *See* Thermal recovery of oil and Injection: steam
Stimulation: *See* Reservoir and Well stimulation, and the specific process
Storage: helium: computing movement in Bush Dome reservoir, Texas, (Tech. Paper) JPT Jan., 16
wellbore: effects in injection well testing, (Tech. Paper) JPT Nov., 1244
Storms: coastal currents generated: significance of time-dependent transports, (Tech. Paper) SPEJ June, 156
Stratification: *See* Permeability: stratified
Stream tube methods: failure to predict waterflood performance: isolated, inverted five-spot; favorable mobility ratios, (Forum) JPT Feb., 151
Stress: corrosion: effects of metal thickness and temperature on casing and tubing design for deep, sour wells, JPT Apr., 499
Subsidence: land: above compacting oil and gas reservoirs, JPT June, 734
Subsurface: fracture system: delineating in a petroleum reservoir; an experiment, (Tech. Paper) JPT May, 531

Sucker rod: systems: quarter century of production practices, (Tech. Paper) JPT Dec., 1425
Suction: breaker: study of bottom-sitting offshore structures, (Tech. Paper) JPT Mar., 279
Sulfonates: petroleum; composition-efficacy studies: tertiary surfactant flooding, (Tech. Paper) SPEJ Aug., 191
Supply: *See* Reserves
Surfactants: aqueous systems for oil recovery, JPT Feb., 186 and 195
behavior: low-tension waterflooding process, JPT Feb., 205
flooding: field test, Loudon, Illinois, (Tech. Paper) JPT July, 793
tertiary flooding: petroleum sulfonate composition-efficacy studies, (Tech. Paper) SPEJ Aug., 191
Sweep efficiency: surfactant flooding: field test, Loudon, Illinois, (Tech. Paper) JPT July, 793

T

Tankers: 300,000- to 500,000-DWT: planning and design of fixed-berth structures, (Tech. Paper) JPT July, 764
Taxation: economic cost: U. S. crude oil production, (Tech. Paper) JPT June, 643; discussion, 657
Tehran-Tripoli agreements: impact on U. S. oil policy and prices, (Tech. Paper) JPT Nov., 1255
Temperature: actual well conditions: expansion and shrinkage characteristics of cements, (Tech. Paper) JPT Aug., 905
deep, sour wells; effect on casing and tubing design, JPT Apr., 499
distribution: circulating mud columns, (Tech. Paper) SPEJ Feb., 23
effect on thermal conductivity: predicting for rock formations, (Tech. Paper) SPEJ Oct., 267
flowline: pressure prediction with gradients, (Tech. Paper) JPT Feb., 135
Tensile strength: synthetic permafrost, SPEJ Aug., 211
Terminals: transshipment: planning and design of fixed-berth structures for 300,000- to 500,000-DWT tankers, (Tech. Paper) JPT July, 764
Tertiary recovery: aqueous surfactant systems, JPT Feb., 186 and 195
crossflooding to improve waterflood efficiency: Big Sinking field, Kentucky, (Tech. Paper) JPT Sept., 1021
miscible-immiscible flooding: trapping Hele-Shaw model studies, (Forum) SPEJ Oct., 255
oil: correlated with pore structure of sandstones, (Forum) SPEJ Oct., 256
surfactant flooding: field test, Loudon, Illinois, (Tech. Paper) JPT July, 793
petroleum sulfonate composition-efficacy studies, (Tech. Paper) SPEJ Aug., 191
Testing: combustion-front velocity: dry and wet combustion, (Tech. Paper) JPT Oct., 1137
deep, sour wells: effects of metal thickness and temperature on casing and tubing design, JPT Apr., 499
injection well: wellbore effects, (Tech. Paper) JPT Nov., 1244
residual oil saturation: determination behind a waterflood using core analysis and well logs, (Tech. Paper) JPT Nov., 1237
suction and scour: study of bottom-sitting offshore structures, (Tech. Paper) JPT Mar., 279
tracing oil as a pollutant in water, (Tech. Paper) JPT Mar., 243
well: significant contributions, (Tech. Paper) JPT Dec., 1432
Texas: Bush Dome reservoir: computing movement of injected raw helium, (Tech. Paper) JPT Jan., 16
East Texas field: oil recovery by surface film drainage in mixed-wettability rocks, JPT Oct., 1216
Fairway field: advanced technology improves recovery, (Tech. Paper) JPT Mar., 354
field tests: stabilizing sensitive shales with inhibited, potassium-based drilling fluids, JPT Sept., 1089
Frio Sand field: use of special coring and logging procedures for defining reservoir residual oil saturations, JPT July, 841
Glen Hummel field: case history of in-situ combustion project, (Tech. Paper) JPT July, 784
Gloriana field: case history of in-situ combustion project, (Tech. Paper) JPT July, 784
Higgs unit: field test of soluble-oil flooding, (Tech. Paper) JPT Jan., 9
high-pressure drilling, JPT July, 851
Kelly-Snyder field: SACROC unit; evaluations and design of a CO_2 miscible flood project, JPT Nov., 1309
Loma Novia field: low-tension waterflooding process, JPT Feb., 205
Midland basin: application of aerial photographic interpretation to study of reservoir natural fracture systems, (Tech. Paper) JPT Jan., 37
San Andres field: use of special coring and logging procedures for defining reservoir residual oil saturations, JPT July, 841
Slaughter field: chickenwire pattern modeling approach for optimizing waterflood performance, (Tech. Paper) JPT July, 757
Slocum field: operation and performance of thermal recovery project, (Tech. Paper) JPT Apr., 402
South: pressure prediction with flowline temperature gradients, (Tech. Paper) JPT Feb., 135
Trix-Liz field: case history of in-situ combustion project, (Tech. Paper) JPT July, 784
Vicksburg formation: successful stimulation of deep wells using high proppant concentrations, (Tech. Paper) JPT Aug., 959
water production control: use of polymers in oil wells, (Tech. Paper) JPT Feb., 143
Thermal properties: conductivities: prediction for formations from other known properties, (Tech. Paper) SPEJ Oct., 267
Thermal recovery of oil: cap and base rock heat losses: application of variational principles, SPEJ Aug., 200
gas-lifted and flowing heavy-oil wells: calculating steam-stimulated performance, JPT Oct., 1207
in-situ combustion: case histories of three projects, (Tech. Paper) JPT July, 784
Slocum field, Texas: operation and performance of project, (Tech. Paper) JPT Apr., 402
steam injection: recovery of oil; Smackover field, Arkansas, (Tech. Paper) JPT Aug., 883
steamflooding: effect of pressure and rate of steam zone development, SPEJ Oct., 275
technical publications: role in advancement of fluid injection processes, (Tech. Paper) JPT Dec., 1361
wet combustion: laboratory research on combustion-front velocity, (Tech. Paper) JPT Oct., 1137
Thief zone: how to diagnose, (Forum) JPT July, 839
Thomasville field: *See* Mississippi
Tracers: radioactive: chemical squeeze process; some new information on some old misconceptions, JPT Mar., 339
in gas injected to determine reservoir continuity, (Tech. Paper) JPT Nov., 1251
single-well method: measuring residual oil saturation, JPT Feb., 211
Training: maintenance: support programs for large-scale computer production control project, (Tech. Paper) JPT Jan., 31
Transient flow: gas: solution of nonlinear equations, SPEJ Dec., 348
Transmissibility: estimating errors when analyzing two-rate flow tests, (Forum) JPT May, 545
Transports: time-dependent: significance in storm-generated coastal current, (Tech. Paper) SPEJ June, 156
Trix-Liz field: *See* Texas
Tubing: design: effects of metal thickness and temperature for deep, sour wells, JPT Apr., 499

U

Underground combustion: *See* Thermal recovery of oil
United Kingdom: gas sales contracts: comparison of North Sea with U. S. contracts, (Tech. Paper) JPT Oct., 1130
plan: for oil spills in the North Sea, (Forum) JPT Oct., 1153
United States: crude oil production: economic cost, (Tech. Paper) JPT June, 643; discussion, 657
gas sales contracts: comparison with North Sea contracts, (Tech. Paper) JPT Oct., 1130
oil policy and prices: impact of Tehran-Tripoli agreements, (Tech. Paper) JPT Nov., 1255

V

Valuations: *See* Evaluations
Variational principle: application: to cap and base rock heat losses, SPEJ Aug., 200
Velocity: flow: increase does not always increase drag reduction, (Forum) JPT June, 673
Venezuela: Bolivar Coastal field: staged fracturing treatment for multisand intervals, (Tech. Paper) JPT Aug., 897
Vessel: for offshore construction in heavy seas, (Tech. Paper) JPT Apr., 387
  mooring lines: statistics of ocean wave groups, SPEJ June, 139
Vicksburg formation: *See* Texas
Viscosity: reduction: cyclic injection of rich gas into producing wells to increase rates from viscous-oil reservoirs, (Tech. Paper) JPT Aug., 890
Viscosity ratio: factor affecting liquid-liquid relative permeabilities: consolidated porous medium, (Tech. Paper) SPEJ Feb., 39
Vugs: permeability: uniformly vuggy porous medium, (Tech. Papers) SPEJ Apr., 69

W

Water: equilibrium: in dehyration of natural gas with triethylene glycol, SPEJ Oct., 297
  oilfield and refinery waste: clarifying by gas flotation, (Tech. Paper) JPT Apr., 426
  tracing oil as a pollutant, (Tech. Paper) JPT Mar., 243
Water-base muds: inhibited with potassium: stabillizing sensitive shales, JPT Sept., 1089
  coring: reservoir residual oil saturation, JPT Feb., 175
Water coning: numerical model: multiphase flow around a well, (Tech. Paper) SPEJ Dec., 311
  reservoir evaluation: Bierwang field, West Germany, (Tech. Paper) JPT Jan., 23
Water drive reservoirs: gas: reservoir evaluation and deliverability study, Bierwang field, West Germany, (Tech. Paper) JPT Jan., 23
Water influx: arrested: Coalinga Nose pressure maintenance project, (Tech. Paper) JPT Oct., 1147
  calculations: material balance for a bottom-water-drive gas reservoir, (Tech. Paper) SPEJ Dec., 328
Water injection: *See* Waterflooding
Water shutoff: *See* Plugging agents
Waterflooding: crossflooding to improve efficiency: Big Sinking field, Kentucky, (Tech. Paper) JPT Sept., 1021
  laboratory data: use of reservoir simulator to interpret, (Tech. Paper) SPEJ Dec., 343
  laboratory research: wet combustion, (Tech. Paper) JPT Oct., 1137
  low-tension process, JPT Feb., 205
  oil-in-water emulsions: flow properties in porous media, (Tech. Paper) JPT June, 727
  oil recovery: surface film drainage in mixed-wettability rocks, JPT Oct., 1216
  performance: modeling approach for optimizing Slaughter field chickenwire pattern, (Tech. Paper) JPT July, 757
  performance predictions: failure of stream tube methods; isolated inverted five-spot at favorable mobility ratios, (Forum) JPT Feb., 151
  peripheral: determination of residual oil saturation behind front, (Tech. Paper) JPT Nov., 1237
  reservoir engineering application: quarter century of progress, (Tech. Paper) JPT Dec., 1371
  residual oil saturation: laboratory tests, JPT Feb., 175
    measuring by single-well tracer method, JPT Feb., 211
    methods for determining with pulsed neutron capture logs, JPT May, 593
  technical publications: role in advancement of fluid injection processes, (Tech. Paper) JPT Dec., 1361
  tertiary use of soluble-oil flooding: Higgs unit, Texas, (Tech. Paper) JPT Jan., 9
Wave amplitude: long-term probabilities: estimates based on hindcasting of severe storms, JPT Apr., 473
Wave height: offshore environment: review of 25 years of progress, (Tech. Paper) JPT Dec., 1355
  statistics: ocean wave groups, SPEJ June, 139
Well completion: *See also* specific types
  advances: during JPT's first quarter century, (Tech. Paper) JPT Dec., 1447
  gas fields: optimization of operations, (Tech. Paper) JPT Apr., 419
  geothermal wells: California, (Tech. Paper) JPT Sept., 1033
  perforations: experimental investigation of hydraulic fracturing, JPT Oct., 1201
  r-z model used to study effect of completion technique on gas well deliverability, (Tech. Paper) SPEJ Oct., 259
Well logging: acoustic-log shale pressure plots: potential hazards, (Tech. Paper) JPT Sept., 1039
  computer methods: diplog correlation, (Tech. Paper) SPEJ Feb., 31
  defining reservoir residual oil saturations: use with special coring procedures, JPT July, 841
  formation evaluation: significant contributions, (Tech. Paper) JPT Dec., 1432
  management and economics: a review, (Tech. Paper) JPT Dec., 1342
  noise: from behind cemented casing; structure and interpretation, JPT Mar., 329
  pulsed neutron capture logs: methods for determining residual oil, JPT May, 593
Well logs: evaluation of low-permeability gas-bearing formations: Rio Blanco County, Colorado, (Tech. Paper) JPT Oct., 1125
  fracture pressure gradients: determination of, (Tech. Paper) JPT Nov., 1259
  residual oil saturation: determination behind a waterflood, (Tech. Paper) JPT Nov., 1237
Well pattern: five-spot, isolated and inverted: failure of stream tube methods to predict waterflood performance; favorable mobility ratios, (Forum) JPT Feb., 151
Well performance: *See also* Wellbore mechanics
  pressure: determination in closed rectangular reservoirs, (Forum) JPT Nov., 1305
Well stimulation: *See also* Acidizing, Formation fracturing, and Perforating
  acidizing: analysis of process in acid fracturing, SPEJ Aug., 239
  advances: during first quarter century of JPT, (Tech. Paper) JPT Dec., 1447
  deep wells: successful using high proppant concentration, (Tech. Paper) JPT Aug., 959
  gas-lifted and flowing heavy-oil wells: calculating the steam-stimulated performance, JPT Oct., 1207
  hydraulic fractures: conductivity of proppants in multiple layers, JPT Sept., 1101
    study of those inclined, (Tech. Paper) SPEJ Apr., 61
  oil wells: use of polymers to control water production, (Tech. Paper) JPT Feb., 143
Well workovers: *See* Workovers
Wellbore mechanics: directional survey: circular arc method, SPEJ Feb., 5
  effects in injection well testing, (Tech. Paper) JPT Nov., 1244
Wettability: control: by octanoic acid; displacement studies in dolomite, SPEJ Aug., 221
    factor affecting: laboratory waterflooding residual oil saturation, JPT Feb., 175
    liquid-liquid relative permeabilities; consolidated porous medium, (Tech. Paper) SPEJ Feb., 39
  mixed: oil recovery by surface film drainage in rocks, JPT Oct., 1216
Wire line: anchoring semisubmersibles, (Tech. Paper) JPT June, 659
Workovers: gas fields: optimization of operations, (Tech. Paper) JPT Apr., 419
Wyoming: crude oil: salinity effects of micellar flooding, (Forum) JPT Aug., 957
  field tests: stabilizing sensitive shales with inhibited, potassium-based drilling fluids, JPT Sept., 1089

Y

Yibal oil field: *See* Oman
Yield point: synthetic permafrost, SPEJ Aug., 211

Z

Zonation: thief zone: how to diagnose, (Forum) JPT July, 839